




Food Service  
Industrial  
Health Care  
Commercial



**Storage & Handling Equipment**




# SHELF TYPES



## Standard

Finish:  
CHROME  
EP SERIES  
**POLYLBRITE**  
**NEXELON**  
STAINLESS STEEL

Capacity: 600 to  
800 lbs.  
See pages 5-7



## Solid Steel

Finish:  
GALVANIZED  
STAINLESS STEEL


Capacity: 400 to  
600 lbs.  
See page 9



## Solid Plastic

Finish:  
SOLID  
PLASTIC


Capacity: 300 lbs.  
See page 10



## Nexelite

Finish:  
**NEXELON**

Capacity: 400 lbs. to  
600 lbs.  
See page 11



## Heavy Duty/ Dunnage

Finish:  
**POLYLBRITE**  
**NEXELON**

Capacity: 1000 to  
1600 lbs.  
See page 12-13




# SHELF TYPES



## E-Z Adjust

Finish:  
**CHROME**  
**POLY-BRITE**


Capacity: 400 lbs.  
See page 10



## Slant Shelf

Finish:  
**CHROME**


Capacity: 400 lbs.  
See page 15



## Wine Cradle Shelving

Finish:  
**CHROME**


Capacity: 100 lbs.  
See page 16



## Cantilever

Finish:  
**CHROME**

Capacity: 40 lbs.  
See page 19





## FINISH TYPES

**NEXEL** OFFERS FINISHES DESIGNED TO MEET THE REQUIREMENTS OF A WIDE RANGE OF STORAGE ENVIRONMENTS. EACH PROVIDES EXCEPTIONAL DURABILITY AND LASTING GOOD LOOKS. WHETHER YOUR NEEDS ARE ONE-FOLD OR VARIED, WE OFFER A FINISH THAT WILL COMPLIMENT YOUR WORKING CONDITIONS.

### **EP SERIES**

*Attractive And Economically Priced*

**EP SERIES** finish consists of a silver epoxy powder coat over a rust inhibiting undercoat. It is NSF listed for both wet and dry applications. This attractive and economically priced finish comes with a limited three-year warranty against rust and corrosion.

### **POLY-L-BRITE™**

*TEN YEAR LIMITED WARRANTY Against Rust*

**POLY-Z-BRITE** features a true powder-epoxy over zinc-chromate electro-plating that ensures a strong durable finish that resembles the look of chrome, yet handles temperature and moisture extremes even better. Ten Year Limited Warranty against rust and corrosion. Ideal for dry storage, coolers and freezers. Includes **NEX Gard**, an anti-microbial agent that protects the epoxy coating from bacteria, mold and mildew that causes stains, odors and product degradation.

### **NEXELON™**

*LIMITED LIFETIME WARRANTY Against Rust*

**NEXELON** is the top of the line finish. We are so confident about the quality of this revolutionary finish, that it comes with a Limited Lifetime Warranty against rust formation. **NEXELON** is protected by **NEX Gard**, an anti-microbial agent that protects the epoxy coating from bacteria, mold and mildew, that causes stains, odors and degradation. Use throughout facility, handles all environmental conditions.

### **CHROME**

*A Brilliant Finish For The High-Tech Look*

**CHROME** is electro-plated nickel-chrome resulting in a brilliant high gloss finish. It is a quality finish that is both hard and durable with a high tech look at an economical price. This industry standard has proven to be a favorite and perfect for display and dry storage.

### **STAINLESS STEEL**

*Excellent Resistance To Rust And Corrosion*

**STAINLESS STEEL** provides stability and durability with a smooth, attractive, electro polished finish. Stainless Steel handles all moisture and temperature extremes. It resists rust and corrosion and is ideal for any storage requirements.





# WIRE SHELVING SYSTEMS



## Wire Shelf

Unique design offers high volume, easy access storage in a variety of finishes to suit your needs. Open wire truss reinforced shelves feature front to back welded surface ribs for added strength. Increases light penetration, free air circulation and merchandise visibility. Minimizes moisture and dust accumulation. Easily adjustable and expandable to change with your needs. Shelves adjust on 1" increments.

W" x L"	EP SERIES Model No.	POLYLBRITE* Model No.	NEXELON* Model No.	CHROME Model No.	STAINLESS STEEL Model No.
14 x 24	S1424EP	S1424Z	S1424N	S1424C	---
14 x 30	S1430EP	S1430Z	S1430N	S1430C	---
14 x 36	S1436EP	S1436Z	S1436N	S1436C	---
14 x 42	S1442EP	S1442Z	S1442N	S1442C	---
14 x 48	S1448EP	S1448Z	S1448N	S1448C	---
14 x 54	S1454EP	S1454Z	S1454N	S1454C	---
14 x 60	S1460EP	S1460Z	S1460N	S1460C	---
14 x 72	S1472EP	S1472Z	S1472N	S1472C	---
18 x 24	S1824EP	S1824Z	S1824N	S1824C	---
18 x 30	S1830EP	S1830Z	S1830N	S1830C	---
18 x 36	S1836EP	S1836Z	S1836N	S1836C	S1836S
18 x 42	S1842EP	S1842Z	S1842N	S1842C	---
18 x 48	S1848EP	S1848Z	S1848N	S1848C	S1848S
18 x 54	S1854EP	S1854Z	S1854N	S1854C	---
18 x 60	S1860EP	S1860Z	S1860N	S1860C	S1860S
18 x 72	S1872EP	S1872Z	S1872N	S1872C	S1872S
21 x 24	S2124EP	S2124Z	S2124N	S2124C	---
21 x 30	S2130EP	S2130Z	S2130N	S2130C	---
21 x 36	S2136EP	S2136Z	S2136N	S2136C	---
21 x 42	S2142EP	S2142Z	S2142N	S2142C	---
21 x 48	S2148EP	S2148Z	S2148N	S2148C	---
21 x 54	S2154EP	S2154Z	S2154N	S2154C	---
21 x 60	S2160EP	S2160Z	S2160N	S2160C	---
21 x 72	S2172EP	S2172Z	S2172N	S2172C	---
24 x 24	S2424EP	S2424Z	S2424N	S2424C	---
24 x 30	S2430EP	S2430Z	S2430N	S2430C	---
24 x 36	S2436EP	S2436Z	S2436N	S2436C	S2436S
24 x 42	S2442EP	S2442Z	S2442N	S2442C	---
24 x 48	S2448EP	S2448Z	S2448N	S2448C	S2448S
24 x 54	S2454EP	S2454Z	S2454N	S2454C	---
24 x 60	S2460EP	S2460Z	S2460N	S2460C	S2460S
24 x 72	S2472EP	S2472Z	S2472N	S2472C	S2472S

EXTRA WIDE CHROME SHELF			
W" x L"	Model No.	W" x L"	Model No.
30 x 36	S3036C	36 x 36	S3636C
30 x 48	S3048C	36 x 48	S3648C
30 x 60	S3060C	36 x 60	S3660C
30 x 72	S3072C	36 x 72	S3672C

Shelves packed four per carton, except 54", 60", 72" long and all extra wide shelves, which are packed two per carton. Posts are packed four per carton.


## Post

No tools required. Rugged 1" diameter steel post is grooved and numbered. Shelves adjust on 1" increments. Shelf clips snap on post, allowing shelf collar to slide over for a secure fit. Includes floor leveler and plastic post cap.

Size"	EP SERIES Model No.	POLYLBRITE* Model No.	NEXELON* Model No.	CHROME Model No.	STAINLESS STEEL Model No.
6	---	P6Z	P6N	P6C	---
14	---	P14Z	P14N	P14C	---
34	P34EP	P34Z	P34N	P34C	---
54	P54EP	P54Z	P54N	P54C	---
63	P63EP	P63Z	P63N	P63C	P63S
66	---	P66Z	---	P66C	---
74	P74EP	P74Z	P74N	P74C	P74S
86	P86EP	P86Z	P86N	P86C	P86S
96	---	---	---	P96C	---

\*Protected by NEXGard


## AVAILABLE IN A VARIETY OF SIZES Includes Shelf Clips




EP SERIES



POLYLBRITE



NEXELON



CHROME



STAINLESS STEEL

## EASY TO ASSEMBLE



Shelves adjust on 1" increments. Numbered posts for quick assembly.



Simply snap together and slide shelf over clips for positive locking.





# STARTER SHELVING UNITS



Model No.  
18366N

NSF®

**Starter Unit** consists of 4 posts, 4 shelves and plastic shelf clips in the height and shelf size indicated. Select from 4 shelf or 5 shelf units in choice of finishes: Poly-Z-Brite, Chrome or Nexelon.



## Shelf Dividers

Installs easily without the use of bolts, nuts or clips. Attaches at any point along shelf. 8" high. Chrome or Silver Epoxy finish.

Size"	CHROME Model No.	EP SERIES Model No.
14	AD814C	AD814EP
18	AD818C	AD818EP
21	AD821C	AD821EP
24	AD824C	AD824EP

## Document Holder

Hooks onto wire shelf in any location. Chrome finish. 12<sup>3</sup>/<sub>8</sub>" x 2" x 8<sup>5</sup>/<sub>8</sub>".



Model No. AH

## Utility Basket

Organizes files and manuals. Open mesh design provides high visibility. Chrome finish. 17<sup>3</sup>/<sub>8</sub>" x 7<sup>1</sup>/<sub>2</sub>" x 10".



Model No.  
ASW177

## Ledges



Snaps onto perimeter of shelf providing 4"H retaining ledge. If higher ledge is required, stack for 8", 12", etc. Chrome or Silver epoxy finish.

Size"	CHROME		EP SERIES		EPOXY CHROME		EP SERIES	
	Model No.	Model No.	Model No.	Model No.	Model No.	Model No.	Model No.	Model No.
14	AL414C	AL414EP	42	AL442C	AL442EP			
18	AL418C	AL418EP	48	AL448C	AL448EP			
21	AL421C	AL421EP	54	AL454C	AL454EP			
24	AL424C	AL424EP	60	AL460C	AL460EP			
30	AL430C	AL430EP	72	AL472C	AL472EP			
36	AL436C	AL436EP	---	---	---			

Size W" x L"	4 SHELVES - 63"H			4 SHELVES - 74"H			4 SHELVES - 86"H		
	POLY-Z-BRITE* Model No.	CHROME Model No.	NEXELON* Model No.	POLY-Z-BRITE* Model No.	CHROME Model No.	NEXELON* Model No.	POLY-Z-BRITE* Model No.	CHROME Model No.	NEXELON* Model No.
18 x 24	18246Z	18246C	18246N	18247Z	18247C	18247N	18248Z	18248C	18248N
18 x 30	18306Z	18306C	18306N	18307Z	18307C	18307N	18308Z	18308C	18308N
18 x 36	18366Z	18366C	18366N	18367Z	18367C	18367N	18368Z	18368C	18368N
18 x 42	18426Z	18426C	18426N	18427Z	18427C	18427N	18428Z	18428C	18428N
18 x 48	18486Z	18486C	18486N	18487Z	18487C	18487N	18488Z	18488C	18488N
18 x 54	18546Z	18546C	18546N	18547Z	18547C	18547N	18548Z	18548C	18548N
18 x 60	18606Z	18606C	18606N	18607Z	18607C	18607N	18608Z	18608C	18608N
18 x 72	18726Z	18726C	18726N	18727Z	18727C	18727N	18728Z	18728C	18728N
21 x 24	21246Z	21246C	21246N	21247Z	21247C	21247N	21248Z	21248C	21248N
21 x 30	21306Z	21306C	21306N	21307Z	21307C	21307N	21308Z	21308C	21308N
21 x 36	21366Z	21366C	21366N	21367Z	21367C	21367N	21368Z	21368C	21368N
21 x 42	21426Z	21426C	21426N	21427Z	21427C	21427N	21428Z	21428C	21428N
21 x 48	21486Z	21486C	21486N	21487Z	21487C	21487N	21488Z	21488C	21488N
21 x 54	21546Z	21546C	21546N	21547Z	21547C	21547N	21548Z	21548C	21548N
21 x 60	21606Z	21606C	21606N	21607Z	21607C	21607N	21608Z	21608C	21608N
21 x 72	21726Z	21726C	21726N	21727Z	21727C	21727N	21728Z	21728C	21728N
24 x 24	24246Z	24246C	24246N	24247Z	24247C	24247N	24248Z	24248C	24248N
24 x 30	24306Z	24306C	24306N	24307Z	24307C	24307N	24308Z	24308C	24308N
24 x 36	24366Z	24366C	24366N	24367Z	24367C	24367N	24368Z	24368C	24368N
24 x 42	24426Z	24426C	24426N	24427Z	24427C	24427N	24428Z	24428C	24428N
24 x 48	24486Z	24486C	24486N	24487Z	24487C	24487N	24488Z	24488C	24488N
24 x 54	24546Z	24546C	24546N	24547Z	24547C	24547N	24548Z	24548C	24548N
24 x 60	24606Z	24606C	24606N	24607Z	24607C	24607N	24608Z	24608C	24608N
24 x 72	24726Z	24726C	24726N	24727Z	24727C	24727N	24728Z	24728C	24728N

NOTE: FOR 5 SHELF UNITS PLEASE CONSULT YOUR NEXEL PRICE LIST.

\* Protected by NEXGard






# WIRE SHELVING SYSTEMS



**Add-On Unit** consists of 2 posts, 4 shelves, plastic shelf clips and two S-hooks for each shelf.



Size W" x L"	4 SHELVES - 63"H			4 SHELVES - 74"H			4 SHELVES - 86"H		
	<i>POLYLBRITE</i> * Model No.	CHROME Model No.	<i>NEXELON</i> * Model No.	<i>POLYLBRITE</i> * Model No.	CHROME Model No.	<i>NEXELON</i> * Model No.	<i>POLYLBRITE</i> * Model No.	CHROME Model No.	<i>NEXELON</i> * Model No.
18 x 24	A18246Z	A18246C	A18246N	A18247Z	A18247C	A18247N	A18248Z	A18248C	A18248N
18 x 30	A18306Z	A18306C	A18306N	A18307Z	A18307C	A18307N	A18308Z	A18308C	A18308N
18 x 36	A18366Z	A18366C	A18366N	A18367Z	A18367C	A18367N	A18368Z	A18368C	A18368N
18 x 42	A18426Z	A18426C	A18426N	A18427Z	A18427C	A18427N	A18428Z	A18428C	A18428N
18 x 48	A18486Z	A18486C	A18486N	A18487Z	A18487C	A18487N	A18488Z	A18488C	A18488N
18 x 54	A18546Z	A18546C	A18546N	A18547Z	A18547C	A18547N	A18548Z	A18548C	A18548N
18 x 60	A18606Z	A18606C	A18606N	A18607Z	A18607C	A18607N	A18608Z	A18608C	A18608N
18 x 72	A18726Z	A18726C	A18726N	A18727Z	A18727C	A18727N	A18728Z	A18728C	A18728N
21 x 24	A21246Z	A21246C	A21246N	A21247Z	A21247C	A21247N	A21248Z	A21248C	A21248N
21 x 30	A21306Z	A21306C	A21306N	A21307Z	A21307C	A21307N	A21308Z	A21308C	A21308N
21 x 36	A21366Z	A21366C	A21366N	A21367Z	A21367C	A21367N	A21368Z	A21368C	A21368N
21 x 42	A21426Z	A21426C	A21426N	A21427Z	A21427C	A21427N	A21428Z	A21428C	A21428N
21 x 48	A21486Z	A21486C	A21486N	A21487Z	A21487C	A21487N	A21488Z	A21488C	A21488N
21 x 54	A21546Z	A21546C	A21546N	A21547Z	A21547C	A21547N	A21548Z	A21548C	A21548N
21 x 60	A21606Z	A21606C	A21606N	A21607Z	A21607C	A21607N	A21608Z	A21608C	A21608N
21 x 72	A21726Z	A21726C	A21726N	A21727Z	A21727C	A21727N	A21728Z	A21728C	A21728N
24 x 24	A24246Z	A24246C	A24246N	A24247Z	A24247C	A24247N	A24248Z	A24248C	A24248N
24 x 30	A24306Z	A24306C	A24306N	A24307Z	A24307C	A24307N	A24308Z	A24308C	A24308N
24 x 36	A24366Z	A24366C	A24366N	A24367Z	A24367C	A24367N	A24368Z	A24368C	A24368N
24 x 42	A24426Z	A24426C	A24426N	A24427Z	A24427C	A24427N	A24428Z	A24428C	A24428N
24 x 48	A24486Z	A24486C	A24486N	A24487Z	A24487C	A24487N	A24488Z	A24488C	A24488N
24 x 54	A24546Z	A24546C	A24546N	A24547Z	A24547C	A24547N	A24548Z	A24548C	A24548N
24 x 60	A24606Z	A24606C	A24606N	A24607Z	A24607C	A24607N	A24608Z	A24608C	A24608N
24 x 72	A24726Z	A24726C	A24726N	A24727Z	A24727C	A24727N	A24728Z	A24728C	A24728N

NOTE: FOR 5 SHELF UNITS PLEASE CONSULT YOUR NEXEL PRICE LIST.

\* Protected by NEXGard

Food Service • Health Care • Industrial • Commercial

7

**SUPERIOR**  
SHELVING SYSTEMS



# SPECIALTY WIRE SHELVING

## Extra-Wide Wire Bulk Rack



SHOWN WITH OPTIONAL LEDGES AND DIVIDERS


## Triangle Shelves



Triangular Shelving Unit using 4 triangle shelves and 3 posts.

Durable **30" and 36" deep Wire Shelving** is reinforced for extra-strength with front-to-back welded ribs. Functional wire shelf design enables airflow and the penetration of light and sprinklers, while helping to minimize dust accumulation. Offers convenient access from all sides. Shelves adjust on 1" increments. Just snap shelf clips together and slide shelves over posts for positive locking. Starter Unit consists of 4 posts, 3 shelves. Easily configurable into "U", "T", or "L" shaped racks by connecting Add-on Unit that consists of 2 posts, 3 shelves and 6 "S" Hooks. 600 lb. capacity shelves. Chrome finish.

LEDGES	
Size"	Model No.
30	AL430C
36	AL436C
48	AL448C
60	AL460C
72	AL472C
DIVIDERS	
30	AD830C
36	AD836C



Put unused corner space to work. Shelf sizes correspond to width (depth) of shelving for add-on capability. Shelves attach to standard Nexel posts. Order post separately. Chrome Finish.

Size W" x L"	3 SHELF STARTER			3 SHELF ADD-ON		
	63" High Model No.	74" High Model No.	86" High Model No.	63" High Model No.	74" High Model No.	86" High Model No.
30 x 36	30366C	30367C	30368C	A30366C	A30367C	A30368C
30 x 48	30486C	30487C	30488C	A30486C	A30487C	A30488C
30 x 60	30606C	30607C	30608C	A30606C	A30607C	A30608C
30 x 72	30726C	30727C	30728C	A30726C	A30727C	A30728C
36 x 36	36366C	36367C	36368C	A36366C	A36367C	A36368C
36 x 48	36486C	36487C	36488C	A36486C	A36487C	A36488C
36 x 60	36606C	36607C	36608C	A36606C	A36607C	A36608C
36 x 72	36726C	36727C	36728C	A36726C	A36727C	A36728C

Size"	Model No.	A"	B"	C"	D"
18	ST18C	17	17	24	13
24	ST24C	23	23	32	16





# SOLID SHELF UNITS & ACCESSORIES



## Choice of Galvanized or Stainless Steel

### Solid Shelf Shelving Units

accept a variety of accessories to adapt to your changing needs. Dual layer construction provides maximum rigidity and strength. Open styling allows shelves to be reached from all sides for the ultimate in space efficiency. Fast, easy assembly, no tools required. Shelves with plastic shelf clips easily lock into place on posts and are adjustable on 1" increments. Leveling feet compensate for uneven floor surfaces. Finished in attractive, temperature and moisture resistant Galvanized or Stainless Steel. Up to a 600 lb. capacity per shelf.



Starter unit consists of 4 posts, 4 shelves and plastic shelf clips. Add-on unit consists of 2 posts, 4 shelves, plastic shelf clips and two joining clamps per shelf.



STARTER UNIT

### Shelves

Durable 18 gauge steel shelf adds versatility to open wire units and allows for display style storage of small equipment and instruments that might fall through wire shelves.

Galvanized W" x L"	63" High Unit		74" High Unit		86" High Unit	
	Starter Model No.	Add-On Model No.	Starter Model No.	Add-On Model No.	Starter Model No.	Add-On Model No.
18 x 36	18366SZ	A18366SZ	18367SZ	A18367SZ	18368SZ	A18368SZ
18 x 48	18486SZ	A18486SZ	18487SZ	A18487SZ	18488SZ	A18488SZ
18 x 60	18606SZ	A18606SZ	18607SZ	A18607SZ	18608SZ	A18608SZ
18 x 72	18726SZ	A18726SZ	18727SZ	A18727SZ	18728SZ	A18728SZ
24 x 36	24366SZ	A24366SZ	24367SZ	A24367SZ	24368SZ	A24368SZ
24 x 48	24486SZ	A24486SZ	24487SZ	A24487SZ	24488SZ	A24488SZ
24 x 60	24606SZ	A24606SZ	24607SZ	A24607SZ	24608SZ	A24608SZ
24 x 72	24726SZ	A24726SZ	24727SZ	A24727SZ	24728SZ	A24728SZ

Stainless W" x L"	Starter Model No.	Add-On Model No.	Starter Model No.	Add-On Model No.	Starter Model No.	Add-On Model No.
	Model No.	Model No.	Model No.	Model No.	Model No.	Model No.
18 x 36	18366SS	A18366SS	18367SS	A18367SS	18368SS	A18368SS
24 x 36	24366SS	A24366SS	24367SS	A24367SS	24368SS	A24368SS
24 x 48	24486SS	A24486SS	24487SS	A24487SS	24488SS	A24488SS

W" x L"	Galvanized Model No.	Stainless Model No.	W" x L"	Galvanized Model No.	Stainless Model No.
	Model No.	Model No.		Model No.	Model No.
18 x 36	S1836SZ	S1836SS	24 x 36	S2436SZ	S2436SS
18 x 48	S1848SZ	---	24 x 48	S2448SZ	S2448SS
18 x 60	S1860SZ	---	24 x 60	S2460SZ	---
18 x 72	S1872SZ	---	24 x 72	S2472SZ	---



### Rods & Clips

Enclose the sides and/or back of a solid shelving unit with easily installed rods. Rod hooks over outer edge of shelf and attaches to shelf with a spring clip. One spring clip is required for every shelf to rod connection. Each rod includes four clips. Order additional clips for units with more than four shelves.

Size"	Model No.
52	SR54C
60	SR63C
72	SR74C
84	SR86C
Extra Clip	SRT



### Joining Clamp

For add-on units. Use two per shelf.  
Model No. SJC

### Shelf Dividers

Increase shelf versatility with 8" high dividers that allow you to compartmentalize and keep contents in order. Easily attaches to solid shelf. Includes clips.

Size"	Model No.
18	SD18C
24	SD24C



### Shelf Ledges

Keep items on shelves during transport with 4" ledges. Allows you to increase items on shelf. Includes clips.

Size"	Model No.
18	SL18C
24	SL24C
36	SL36C
48	SL48C
60	SL60C
72	SL72C



**NOTE:** All accessories are finished in a bright chrome.

Food Service • Health Care • Industrial • Commercial

9



# SPECIALTY SHELVING



REPOSITION  
SUSPENSION HOOKS  
TO ADJUST SHELVES  
IN SECONDS!

## E-Z Adjust Wire Shelving

**Unique E-Z Adjust** suspension hooks allow middle shelves to be adjusted, added or removed in seconds without disassembling entire unit. Simply lift shelf off post hooks and reposition to desired height. No tools. Features all the benefits of open wire shelving, minimizes dust accumulation, maximizes visibility, light and sprinkler penetration, and air circulation. Unit includes four posts, two standard shelves for stability at the top and bottom, and two E-Z Adjust shelves. E-Z Adjust Shelves have a 400 lb. capacity per shelf. All shelves adjust on 1" increments. Available in Chrome or **POLYLBRITE**.



W" x L"	CHROME		
	63" HIGH Model No.	74" HIGH Model No.	86" HIGH Model No.
18 x 36	18366AC	18367AC	18368AC
18 x 48	18486AC	18487AC	18488AC
18 x 60	18606AC	18607AC	18608AC
18 x 72	18726AC	18727AC	18728AC
24 x 36	24366AC	24367AC	24368AC
24 x 48	24486AC	24487AC	24488AC
24 x 60	24606AC	24607AC	24608AC
24 x 72	24726AC	24727AC	24728AC

W" x L"	POLYLBRITE*		
	63" HIGH Model No.	74" HIGH Model No.	86" HIGH Model No.
18 x 36	18366AZ	18367AZ	18368AZ
18 x 48	18486AZ	18487AZ	18488AZ
18 x 60	18606AZ	18607AZ	18608AZ
18 x 72	18726AZ	18727AZ	18728AZ
24 x 36	24366AZ	24367AZ	24368AZ
24 x 48	24486AZ	24487AZ	24488AZ
24 x 60	24606AZ	24607AZ	24608AZ
24 x 72	24726AZ	24727AZ	24728AZ

W" x L"	E-Z ADJUST SHELF	
	CHROME Model No.	POLYLBRITE* Model No.
18 x 36	S1836AC	S1836AZ
18 x 48	S1848AC	S1848AZ
18 x 60	S1860AC	S1860AZ
18 x 72	S1872AC	S1872AZ
24 x 36	S2436AC	S2436AZ
24 x 48	S2448AC	S2448AZ
24 x 60	S2460AC	S2460AZ
24 x 72	S2472AC	S2472AZ



## Solid Plastic Shelving

Conveniently helps you organize storage space in warehouses, stockrooms and in any work environment! Constructed of durable, rust and stain resistant plastic that cleans with ease. Raised lip, surrounding the edge of each shelf, prevents spills from overflowing. Shelves adjust in 1" increments on all Nexel post types. Attach optional casters to move frequently used products to the work area as needed. 300 lb. capacity per shelf. Shelving unit consists of 4 solid plastic shelves and 4 posts. To order Casters, see page 31.

W" x L" x H"	SHELVING UNIT		
	CHROME Model No.	POLYLBRITE* Model No.	NEXELON* Model No.
18 x 36 x 63	18366CSP	18366ZSP	18366NSP
24 x 48 x 63	24486CSP	24486ZSP	24486NSP
18 x 36 x 74	18367CSP	18367ZSP	18367NSP
24 x 48 x 74	24487CSP	24487ZSP	24487NSP

SHELVES	
W" x L"	Model No.
18 x 36	S1836SP
24 x 48	S2448SP

\* Protected by NEXGard



# PLASTIC MAT SHELVING



**NEXELITE™**

## Plastic Mat Shelving

Versatile storage system is perfect for storing all your goods, materials and inventory. Sturdy frame comes in **NEXELON** finish. **NEXELON** is protected by **Nexgard**, an anti-microbial agent that protects the epoxy coating from bacteria, mold and mildew that causes stains, odors and degradation. Polymer composition shelf mats are of a modular design allowing easy removal for cleaning. They have a vented open grid surface that is smooth and crevice-free. Polymer material will never dent, chip, rust, or corrode. Open on all four sides for complete access and superior ventilation. Shelves adjust on 1" increments and have a up to a 600 lb. capacity. Shelving unit consists of 4 Nexelite shelves and 4 posts. Casters mobilize your storage system for quick and easy transportation. To order Casters, see page 31.

**SHELVES** - Consist of frame and tan plastic mats.

### NEXELON® NEXELITE SHELVING UNIT

W" x L"	NEXELON® Model No.	W" x L"	63" High Model No.	74" High Model No.	86" High Model No.
18 x 30	PM1830N	18 x 30	PM18306N	PM18307N	PM18308N
18 x 36	PM1836N	18 x 36	PM18366N	PM18367N	PM18368N
18 x 42	PM1842N	18 x 42	PM18426N	PM18427N	PM18428N
18 x 48	PM1848N	18 x 48	PM18486N	PM18487N	PM18488N
18 x 54	PM1854N	18 x 54	PM18546N	PM18547N	PM18548N
18 x 60	PM1860N	18 x 60	PM18606N	PM18607N	PM18608N
18 x 72	PM1872N	18 x 72	PM18726N	PM18727N	PM18728N
21 x 30	PM2130N	21 x 30	PM21306N	PM21307N	PM21308N
21 x 36	PM2136N	21 x 36	PM21366N	PM21367N	PM21368N
21 x 42	PM2142N	21 x 42	PM21426N	PM21427N	PM21428N
21 x 48	PM2148N	21 x 48	PM21486N	PM21487N	PM21488N
21 x 54	PM2154N	21 x 54	PM21546N	PM21547N	PM21548N
21 x 60	PM2160N	21 x 60	PM21606N	PM21607N	PM21608N
21 x 72	PM2172N	21 x 72	PM21726N	PM21727N	PM21728N
24 x 30	PM2430N	24 x 30	PM24306N	PM24307N	PM24308N
24 x 36	PM2436N	24 x 36	PM24366N	PM24367N	PM24368N
24 x 42	PM2442N	24 x 42	PM24426N	PM24427N	PM24428N
24 x 48	PM2448N	24 x 48	PM24486N	PM24487N	PM24488N
24 x 54	PM2454N	24 x 54	PM24546N	PM24547N	PM24548N
24 x 60	PM2460N	24 x 60	PM24606N	PM24607N	PM24608N
24 x 72	PM2472N	24 x 72	PM24726N	PM24727N	PM24728N



## Tray Drying/Storage Racks

Ideal for both tray drying and storage. The modules fit on any 24" wide shelf. Modules come in 12" and 16" lengths. Combine modules to fit any length shelf. Uprights are spaced 1.75" apart. Modules fit over shelves. Poly Z Brite finish.

W" x L" x H"	Tray Capacity	Model No.
24 x 12 x 8 1/2	7	TR1224Z
24 x 16 x 8 1/2	9	TR1624Z



## Label Holder




**3" LABEL HOLDER**  
Model No. **ABM3PM**

## Ledges

Snap onto perimeter of shelf providing 4"H retaining ledge. **POLYBRITE** finish.

Size"	Model No.	Size"	Model No.
18	PML18Z	42	PML42Z
21	PML21Z	48	PML48Z
24	PML24Z	54	PML54Z
30	PML30Z	60	PML60Z
36	PML36Z	72	PML72Z



Size"	Model No.
18	PMD18Z
21	PMD21Z
24	PMD24Z
Extra Clips (16/Bag)	PMC16

## Shelf Dividers

Installs easily without the use of bolts or nuts. 8" high. **POLYBRITE** finish.

For



**SUPERIOR**  
SHELVING SYSTEMS

mercial





# HEAVY DUTY SHELVING



## Heavy Duty Shelving

Ideal for high density storage. Maintenance free construction. 2400 lb. capacity unit, 1300 - 1600 lbs. capacity per shelf depending upon size. Adjustable on 1" increments for maximum versatility. Open design minimizes dust accumulation while ensuring light and air circulation. Shelving consists of four posts and four shelves with plastic shelf clips.


W" x L" x H"	POLYFLBRITE*	NEXELON*
	Model No.	Model No.
18 x 36 x 63	DS18366Z	DS18366N
18 x 48 x 63	DS18486Z	DS18486N
24 x 36 x 63	DS24366Z	DS24366N
24 x 48 x 63	DS24486Z	DS24486N
18 x 36 x 74	DS18367Z	DS18367N
18 x 48 x 74	DS18487Z	DS18487N
24 x 36 x 74	DS24367Z	DS24367N
24 x 48 x 74	DS24487Z	DS24487N



## Container Rack

Organized **Container** and **Keg** storage will save time and space. Rack provides strong stable storage without wasted space. Unit features three heavy duty dunnage shelves and two reinforced three-sided steel frames. Top wire shelf allows you to store related accessories within reach.

W" x L" x H"	Keg Cap.	POLYFLBRITE*	NEXELON*
		Model No.	Model No.
18 x 48 x 54	4	BK18485Z	BK18485N
18 x 60 x 54	6	BK18605Z	BK18605N
18 x 48 x 63	4	BK18486Z	BK18486N
18 x 60 x 63	6	BK18606Z	BK18606N



## Syrup Tank Racks



## Dunnage Shelves

Constructed of 1" square steel tubing with removable wire decking.

W" x L"	Load Capacity	POLYFLBRITE*	NEXELON*
		Model No.	Model No.
18 x 24	1600	DS1824Z	DS1824N
18 x 30	1600	DS1830Z	DS1830N
18 x 36	1600	DS1836Z	DS1836N
18 x 48	1300	DS1848Z	DS1848N
18 x 60	1000	DS1860Z	DS1860N
24 x 24	1600	DS2424Z	DS2424N
24 x 30	1600	DS2430Z	DS2430N
24 x 36	1600	DS2436Z	DS2436N
24 x 48	1300	DS2448Z	DS2448N
24 x 60	1000	DS2460Z	DS2460N

Keeps tanks off the floor and accessible. Retaining chain allows easy removal of tanks for changing or refills. Rack includes one heavy duty shelf, three-sided frame, four - 34" posts with adjustable floor levelers and post caps. Link chain not included.

W" x L" x H"	Load Capacity	POLYFLBRITE*	NEXELON*
		Model No.	Model No.
24 x 30 x 34	1600 lbs.	ST2430Z	ST2430N
24 x 48 x 34	1300 lbs.	ST2448Z	ST2448N

Constructed of 1" square steel tubing. Used when the structural integrity of a shelf is desired without decking.

\*Protected by  
NEX Gard

## Three-Sided Frames


W" x L"	POLYFLBRITE*	NEXELON*
	Model No.	Model No.
18 x 24	DF1824Z	DF1824N
18 x 30	DF1830Z	DF1830N
18 x 36	DF1836Z	DF1836N
18 x 48	DF1848Z	DF1848N
18 x 60	DF1860Z	DF1860N
24 x 24	DF2424Z	DF2424N
24 x 30	DF2430Z	DF2430N
24 x 36	DF2436Z	DF2436N
24 x 48	DF2448Z	DF2448N
24 x 60	DF2460Z	DF2460N

# RACKS & PLATFORMS



## Heavy Duty Dunnage Racks

**Low Profile Rack** maximizes storage space, while allowing you to keep floor clear. Open front, three sided frame allows for easy cleaning underneath. 14"H dunnage rack includes a removable top deck, a three sided frame, post caps and adjustable floor levelers.




W" x L"	Load Capacity	<i>POLYLBRITE</i> * Model No.	<i>NEXELON</i> * Model No.
18 x 24	1600	DR1824Z	DR1824N
18 x 30	1600	DR1830Z	DR1830N
18 x 36	1600	DR1836Z	DR1836N
18 x 48	1300	DR1848Z	DR1848N
18 x 60	1000	DR1860Z	DR1860N
24 x 24	1600	DR2424Z	DR2424N
24 x 30	1600	DR2430Z	DR2430N
24 x 36	1600	DR2436Z	DR2436N
24 x 48	1300	DR2448Z	DR2448N
24 x 60	1000	DR2460Z	DR2460N

## Mobile Dunnage Rack

Allows you to store and transport food supplies, boxes or other merchandise without loading and unloading. 12"H dunnage rack includes a removable top deck, a three sided frame and four - 5" rubber wheel swivel casters with donut bumpers. 800 lb. capacity.

**NOTE:** Brake casters can be ordered for added stability, for other capacities and wheel types order by components.



W" x L"	<i>POLYLBRITE</i> * Model No.	<i>NEXELON</i> * Model No.
18 x 24	DM1824Z	DM1824N
18 x 30	DM1830Z	DM1830N
18 x 36	DM1836Z	DM1836N
18 x 48	DM1848Z	DM1848N
18 x 60	DM1860Z	DM1860N
24 x 24	DM2424Z	DM2424N
24 x 30	DM2430Z	DM2430N
24 x 36	DM2436Z	DM2436N
24 x 48	DM2448Z	DM2448N
24 x 60	DM2460Z	DM2460N


## Platforms

Keep produce and merchandise off of floor and clearly visible. Ideal for stock room or walk-in refrigerator. 14"H platform consists of four posts, one shelf, plastic shelf clips and adjustable floor levelers.

	<i>POLYLBRITE</i> * Model No.	<i>CHROME</i> Model No.	<i>NEXELON</i> * Model No.
18 x 24	P1824Z	P1824C	P1824N
18 x 30	P1830Z	P1830C	P1830N
18 x 36	P1836Z	P1836C	P1836N
21 x 24	P2124Z	P2124C	P2124N
21 x 30	P2130Z	P2130C	P2130N
21 x 36	P2136Z	P2136C	P2136N
24 x 24	P2424Z	P2424C	P2424N
24 x 30	P2430Z	P2430C	P2430N
24 x 36	P2436Z	P2436C	P2436N



\*Protected by NEX Gard





# CANTILEVER SHELVING SYSTEM



**Cantilever Shelving System** consists of a pair of upright frames, including the base shelf assembly, **NEXELON** wire shelves and bracket arms in straight or incline type. Can be used in coolers, freezers as well as dry storage areas. Upright frames 12 gauge, 3<sup>1</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>4</sub>" tubular steel, 72" high. Bottom shelf is 27" deep, 8<sup>1</sup>/<sub>2</sub>" high. **NEXELON** wire shelves have a 600 lb. capacity. Bracket arms have an 800 lb. capacity. 3000 lb. total capacity. Finished in metallic blue powder epoxy. 10 year warranty against rust and corrosion. **NEXELON** finish is protected by NEX<sup>Guard</sup>, an antimicrobial agent that protects the epoxy coating from bacteria, mold and mildew that cause stains, odors and degradation.

## Cantilever Shelving

**Cantilevered Shelves** offer easy access to contents. Shelf height quickly adjusts on 6" increments to meet a variety of your storage needs. Wire shelves are reinforced for extra strength with front-to-back welded top surface ribs.


W" x L"	FOUR SHELF UNIT Model No.	FIVE SHELF UNIT Model No.
24 x 36	<b>2436CS4</b>	<b>2436CS5</b>
24 x 48	<b>2448CS4</b>	<b>2448CS5</b>
24 x 60	<b>2460CS4</b>	<b>2460CS5</b>
24 x 72	<b>2472CS4</b>	<b>2472CS5</b>



## Cantilever Rack

Offers the full access benefit of **Cantilever Rack** plus the ability to store smaller items. 72"H Frame section can be adjusted to widths of 36", 48", 60" or 72" and includes 27" deep bottom shelf for storing smaller items. Straight Arms are ideal for flat items. Store bars, tubes or pipes on 20° Incline Arms. Order one frame assembly and the quantity of straight and/or incline arms desired. 8 arms per upright maximum.

	Size	Model No.
Frame	72"H x 24"D	<b>CRF2472</b>
Straight Arm	24"L	<b>CRSA24</b>
Incline Arm	24"L	<b>CRIA24</b>



**SUPERIOR**  
SHELVING SYSTEMS



# MERCHANDISERS & DISPLAYS



## Slant Shelf

**Nexel Slant Shelf Merchandisers and Displays** allow maximum visibility and accessibility. Product restocking is fast and easy. Rear load/front pick assures first in, first out product rotation. Angled shelves allow gravity feed. 400 lb. Capacity shelves adjust on one-inch increments. 5" Polyurethane casters offer mobility. Optional Dividers keep products from falling off shelf and provide lanes for products. Chrome finish.

### SLANT SHELVES


Size"	Model No.
18 x 36	<b>SS1836C</b>
18 x 48	<b>SS1848C</b>
24 x 36	<b>SS2436C</b>
24 x 48	<b>SS2448C</b>

### DIVIDERS

Size"	Model No.
18	<b>SS18</b>
24	<b>SS24</b>

### POST

Size"	Model No.
54	<b>P54C</b>
63	<b>P63C</b>
74	<b>P74C</b>



W"	A	B	C	D	E
18	17	4.25	9.00	12.5	16.66
24	24	5.50	13.00	17.5	22.66

**MERCHANDISERS - CONSIST OF 4 SLANT SHELVES, 4 POSTS, 1 STANDARD SHELF AND 1 THREE SIDED FRAME**

### 54" HIGH

Size"	Model No.
18 x 36	<b>18365SSC</b>
18 x 48	<b>18485SSC</b>
24 x 36	<b>24365SSC</b>
24 x 48	<b>24485SSC</b>

### 63" HIGH

Size"	Model No.
18 x 36	<b>18366SSC</b>
18 x 48	<b>18486SSC</b>
24 x 36	<b>24366SSC</b>
24 x 48	<b>24486SSC</b>

### CASTERS

Type	Model No.
5" Polyurethane 2 with brake	<b>CA5SB</b>
5" Rubber 2 with brake	<b>CA5BR</b>



SHOWN WITH OPTIONAL CASTERS AND DIVIDERS



SHOWN WITH OPTIONAL DIVIDERS

## Pyramid Merchandiser

**Four Tier Pyramid Merchandiser** is an attractive way to display your company's products. Unit consists of four chrome shelf sizes, one of each: 14" x 30", 18" x 36", 24" x 42", 30" x 48", (12) 14" Posts and (4) 6" Posts. Black Nylon Twin Casters, 2 swivel, 2 with brake makes the unit mobile. Chrome Finish.

Model No. **PM14C**



**SUPERIOR**  
SHELVING SYSTEMS

Food Service • Health Care • Industrial • Commercial




# MERCHANDISERS & DISPLAY



## Nexel Cradle Wine Shelving

**Nexel Cradle Wine Shelving** is an attractive and safe way to display and store wine bottles. Each bottle is securely cradled by heavy gauge wire to prevent movement. Adjustable shelves allow storage of many different sizes of bottles. Our open wire construction permits air to circulate around bottles. For added protection, place a 4-inch ledge along the rear of the shelf. Shelves accommodate 9 to 13 bottles, depending on shelf size. The use of Foot Plates is recommended for additional stability. Sold 4 per carton. Chrome finish.



### CRADLE WINE SHELVES

W" x L"	Bottle Capacity	Model No.
14 x 36	9	WS1436C
14 x 48	13	WS1448C

### LEDGES

Size"	Model No.
36	AL436C
48	AL448C

### FOOT PLATE

Model No.
AF



## Wine Security Units

**For Security Purposes** and to reduce losses from theft, optional security units, which can be padlocked, are available. Security unit consists of side and back panels, door set, 66" posts, top and bottom shelves. **Order wine shelves separately.** Chrome finish.

W" x L"	Model No.
14 x 36	SU1436C
14 x 48	SU1448C

### E-Z ADJUST SHELVES-CHROME

W" x L"	Model No.
14 x 36	S1436AC
14 x 48	S1448AC





# SPACE WALL SYSTEM – WIRE GRID



**Space-Wall** is a system of wire grids that can be mounted directly on the wall. With the installation of Space-Wall you have now created a totally modular and flexible system that can be customized to meet your exact requirements today and changing needs in the future.

## Grid Panels

All Grids are 3" x 3" openings 1/4" steel wire. Grey epoxy finish. Grid Panel comes with wall mounting brackets.

Size"	Model No.	Size"	Model No.
18 x 36	WG1836G	36 x 48	WG3648G
18 x 48	WG1848G	36 x 60	WG3660G
---	---	36 x 72	WG3672G*
24 x 48	WG2448G	48 x 48	WG4848G
24 x 60	WG2460G	48 x 60	WG4860G
24 x 72	WG2472G	48 x 72	WG4872G*

\*Ships in two pieces

ALL ACCESSORIES ARE  
CHROME FINISHED UNLESS  
STATED OTHERWISE.




WOOD SHELF WHITE MELAMINE  
LAMINATED

Size"	Model No.
12 x 36	AWS1236
12 x 48	AWS1248



HOOK ARM - 16" L.

Model No.	AH5
-----------	-----



WIRE SHELF-GRAY EPOXY

Size"	Model No.
12 x 36	DR312
12 x 48	DR412



SHELF BRACKET - Holds 12" shelf.

Model No.	ASB12
-----------	-------




GRID SHELF - 16 3/4" x 16 3/4"

Model No.	AGS16C
-----------	--------



PEG HOOK

Size"	Model No.
4	APH4
6	APH6
8	APH8
10	APH10
12	APH12



BIN - Includes 4 Hooks to Mount on Grid

Size"	Model No.
W x D x H	
36 x 14 x 9	WB3149
48 x 14 x 9	WB4149

DIVIDERS - 14"D x  
9"H. Fits both Bins

Model No.	WD149
-----------	-------



BASKET - 17 3/8 x 7 1/2 x 10

Model No.	ASW177
-----------	--------



## Accessories



SINGLE HOOK

Model No.	AWSH
-----------	------



DOUBLE HOOK

Model No.	AWDH
-----------	------

DIRECT TO  
WALL  
MOUNTING  
BRACKETS

Chrome finish.

Model No.	WB2
-----------	-----



HOOK RAIL BAR - 24" L with 7-5" L hooks.

Model No.	ARB7
-----------	------



BIN RAIL - 3 1/2" wide

Size"	Model No.
23	AWBR23
35	AWBR35
47	AWBR47

DOCUMENT HOLDER -  
12 3/8 x 2 1/2 x 10 3/8.

Model No.	AH
-----------	----









# WALL MOUNT SHELF SYSTEMS

## Shelf Brackets



SINGLE SHELF BRACKET



DOUBLE SHELF BRACKET


Perfect for creating wall storage area where floor space isn't available. One pair of wall brackets is required per shelf. Use Double Shelf brackets in a continuous run. Chrome or silver epoxy finish. 4 collar pins included.

WALL MOUNT SINGLE SHELF BRACKETS (2 per carton)			
Size"		Chrome	Silver Epoxy
Model No.	Model No.		
14	AB14C	AB14EP	
18	AB18C	AB18EP	
21	AB21C	AB21EP	
24	AB24C	AB24EP	

WALL MOUNT SINGLE SHELF BRACKETS (1 per carton)			
Size"		Chrome	Silver Epoxy
Model No.	Model No.		
14	DAB14C	DAB14EP	
18	DAB18C	DAB18EP	
21	DAB21C	DAB21EP	
24	DAB24C	DAB24EP	

**NOTE:** USES STANDARD SHELVING. ORDER SHELVES SEPARATELY. SEE PAGE 5. MOUNTING SCREWS NOT INCLUDED.

## Adjustable Shelf Brackets



1" SHELF ADJUSTMENT

POST KIT

DOUBLE SHELF BRACKET

SINGLE SHELF BRACKET

Adjustable Shelf Brackets allow you to adjust shelves on 1" increments. Shelves mount to posts individually or in as many tiers as needed. Choice of Single Shelf Bracket or Double Shelf Bracket. Use Double Shelf Bracket for assembling shelves in a continuous run. Double Shelf Bracket attaches to one post. Order one additional post kit for every 2 shelves. Post kit consists of 2 posts 4 wall brackets. Chrome finish.

POST KIT	
Size"	Model No.
14	PW14
34	PW34
54	PW54
63	PW63

DOUBLE Shelf Brackets (1 per carton)	
Size"	Model No.
14	DPS14C
18	DPS18C
24	DPS24C

SINGLE Shelf Brackets (2 per carton)	
Size"	Model No.
14	PS14C
18	PS18C
24	PS24C

**NOTE:** USES STANDARD SHELVING. ORDER SHELVES SEPARATELY. SEE PAGE 5. MOUNTING SCREWS NOT INCLUDED.

## Cantilever Shelves

Shelves have 1"H protective "Rail Style" edges to help prevent contents from falling off. Plastic shelf clips included. Chrome finish.

W" x L"	Model No.
12 x 24	CS1224C
12 x 30	CS1230C
12 x 36	CS1236C
12 x 42	CS1242C
12 x 48	CS1248C
12 x 60	CS1260C

## Cantilever Shelf Wall Mount Kit

Includes 2 posts and 4 wall mount brackets. Adjustable on 1" increments. Chrome finish. Mounting screws not supplied.


Post Size"	Number of Tiers	Model No.
14	1-2	CW14C
34	2-3	CW34C
54	3-5	CW54C

**NOTE:** Order cantilever shelves separately.

## Bin Rail

Mounts in conjunction with 60" wide shelves or can be used independently with a wall mount kit. Adjusts on 1" increments. Use multiple rails for large storage needs. Order bins separately, see page 49.

Model No.	BR60
-----------	------



CANTILEVER SHELF

BIN RAIL

WALL MOUNT UNIT



## Folding Wire Container

- Sets up in seconds, folds flat to save space and shipping costs
- Drop gate for easy access when stacked

Open mesh construction provides excellent visibility of contents, easy inventory control and eliminates dust and dirt build up. One piece heavy duty folding container features wire mesh arc welded to channel formed steel base. Sides and corners are heavily reinforced. Stacking legs permit handling by forklift or pallet truck; legs are notched to interlock for positive stacking. Add Hinged Lid and padlock for security. Make container mobile with caster kit.

L" x W" x H"	Drop Gate Inside Ht."	Gate Side"	Wt.	Model No.
<b>4000 LB. CAP. - 2"x2" - 2 gauge Wire Mesh.</b>				
40 x 32 x 34 1/2	28	40	146	<b>FWC146</b>
48 x 40 x 36 1/2	30	48	194	<b>FWC194</b>
48 x 40 x 42 1/2	36	48	216	<b>FWC216</b>
<b>2000 LB. CAP. - Sides 2" x 4" - 4 gauge, bottom 2" x 2" Wire Mesh.</b>				
40 x 32 x 34 1/2	28	40	112	<b>FWC112</b>
48 x 40 x 36 1/2	30	48	114	<b>FWC114</b>
48 x 40 x 42 1/2	36	48	160	<b>FWC160</b>
<b>1000 LB. CAP. - Sides 1" x 1" - 11 gauge Wire Mesh.</b>				
32 x 20 x 21	16	32	43	<b>FWC43</b>

L" x W"	Model No.
<b>HINGED LID</b>	
32 x 20	<b>FWCL20</b>
40 x 32	<b>FWCL32</b>
48 x 40	<b>FWCL40</b>

<b>CASTERS - 4 Swivel, 2 Braking 5" x 1 1/2" Mold On Rubber 1400 Lb. Cap.</b>	
Model No.	<b>FWCA5</b>

STACKS 4 HIGH



SHOWN WITH OPTIONAL CASTER KIT AND OPTIONAL LID



FOLDS FOR COMPACT STORAGE

## Enclosure Panels

- Keep contents securely on shelves and creates an enclosed storage environment
- Modular design allows it to adapt to any application
- Panels attach easily to shelving units without hardware
- Includes joining clips to secure panels to each other
- Chrome finish.

### Enclosure Panels Chrome

Model No	width"/height"	post height"
<b>EP1254C</b>	12 x 50	54
<b>EP1263C</b>	12 x 60	63
<b>EP1274C</b>	12 x 70	74
<b>EP1854C</b>	18 x 50	54
<b>EP1863C</b>	18 x 60	63
<b>EP1874C</b>	18 x 70	74



JOINING CLIPS

### How to Order Enclosure Panels:

**Ends-** Panels required for each end according to width.

Post Height"	18" shelf	21" shelf	24" Shelf	30" Shelf	36" Shelf
54	(1) <b>EP1254C</b>	(1) <b>EP1254C</b>	(1) <b>EP1854C</b>	(2) <b>EP1254C</b>	(1) <b>EP1254C</b>
63	(1) <b>EP1263C</b>	(1) <b>EP1263C</b>	(1) <b>EP1863C</b>	(2) <b>EP1263C</b>	(1) <b>EP1854C</b>
74	(1) <b>EP1274C</b>	(1) <b>EP1274C</b>	(1) <b>EP1874C</b>	(2) <b>EP1274C</b>	(1) <b>EP1263C</b>
					(1) <b>EP1863C</b>
					(1) <b>EP1274C</b>
					(1) <b>EP1874C</b>

**Backs-** Panels required for Back according to Shelf Length

Post Height"	30" shelf	36" shelf	42" shelf	48" shelf	54" shelf	60" shelf	72" shelf
54	(2) <b>EP1254C</b>	(1) <b>EP1254C</b> (1) <b>EP1854C</b>	(2) <b>EP1854C</b>	(2) <b>EP1254C</b> (1) <b>EP1854C</b>	(1) <b>EP1254C</b> (2) <b>EP1854C</b>	(3) <b>EP1854C</b>	(1) <b>EP1254C</b> (3) <b>EP1854C</b>
63	(2) <b>EP1263C</b>	(1) <b>EP1263C</b> (1) <b>EP1863C</b>	(2) <b>EP1863C</b>	(2) <b>EP1263C</b> (1) <b>EP1863C</b>	(1) <b>EP1263C</b> (2) <b>EP1863C</b>	(3) <b>EP1863C</b>	(1) <b>EP1263C</b> (3) <b>EP1863C</b>
74	(2) <b>EP1274C</b>	(1) <b>EP1274C</b> (1) <b>EP1874C</b>	(2) <b>EP1874C</b>	(2) <b>EP1274C</b> (1) <b>EP1874C</b>	(1) <b>EP1274C</b> (2) <b>EP1874C</b>	(3) <b>EP1874C</b>	(1) <b>EP1274C</b> (3) <b>EP1874C</b>



ENCLOSURE PANEL UNIT





# WIRE BIN DUMP SHELVING



SHOWN WITH OPTIONAL DIVIDERS

**An easy access modular storage system that is both time and space efficient.** Full view open design provides inventory control at a glance. Position side-by-side or back-to-back, stack 2 or 3 high for bench top use, stack up to 7 high for free-standing rack or use 14" and 20" deep lower bin with dolly for easy transport. Each bin has a 100 lb. capacity and can be separated into sub-compartments with dividers (sold separately). Industrial strength .283 dia. frame wire with .105 dia. cross wire construction ensures strength and rigidity, chrome finish. Assembles easily.



SHOWN WITH TWO OPTIONAL DIVIDERS

W" x D" x H"	WIRE BINS Model No.	DIVIDERS Model No.
36 x 14 x 9	WB3149	WD149
48 x 14 x 9	WB4149	WD149
36 x 20 x 9	WB3209	WD209
48 x 20 x 9	WB4209	WD209
36 x 20 x 12	WB32012*	WD2012
48 x 20 x 12	WB42012*	WD2012

\* 12" H bins have 9" H backs.




SHOWN WITH OPTIONAL DIVIDERS AND DOLLY BASE

## Dolly Base

Requires one 20" deep bottom bin. Equipped with four, smooth rolling 5" polyurethane wheel swivel casters

Size"	Model No.
36 x 20	WBD320
48 x 20	WBD420





# PICK RACKS & TRUCKS



High visibility and quick retrieval make parts picking and inventory control easy. Three bins have a 100 lb. capacity each and can be angled up, down, flat or any combination depending on requirements. 600 lb. capacity wire shelf Stationary unit has a total capacity of 2400 lbs. Mobile unit has an 800 lb. capacity, four 5" poly wheel swivel stem casters (2 locking) with donut bumpers. **For additional Bins and Bin Dividers see page 20.** Each additional Bin requires one set of 4 wire bin Collar Hooks. Chrome finish.

Unit W" x D" x H"	Bin W" x D" x H"	Wire Bin Pick Rack Model No.	Wire Bin Pick Truck Model No.
36 x 18 x 63	36 x 14 x 9	<a href="#">WBR1836C</a>	<a href="#">WBT1836C</a>
36 x 24 x 63	36 x 20 x 9	<a href="#">WBR2436C</a>	<a href="#">WBT2436C</a>
48 x 18 x 63	48 x 14 x 9	<a href="#">WBR1848C</a>	<a href="#">WBT1848C</a>
48 x 24 x 63	48 x 20 x 9	<a href="#">WBR2448C</a>	<a href="#">WBT2448C</a>

## Bins Adjust in 1" Height and Angle 3 Ways to Assemble:



**Angled Down:**  
Flows parts to front.  
Provides maximum  
accessibility.



**Flat:**  
Provides maximum  
space efficiency.



**Angled Up:**  
Provides maximum  
bin capacity.



STATIONARY UNIT SHOWN  
WITH OPTIONAL BIN DIVIDERS



**WIRE COLLAR HOOK SET**

4 per set **Model No.** [SSB1C](#)



**PUSH HANDLE**

Chrome finished. Adjusts easily on 1" increments.

Size"	Model No.
18	<a href="#">AE18C</a>
24	<a href="#">AE24C</a>



**DOCUMENT HOLDER**

Model No.
<a href="#">12<sup>3</sup>/<sub>8</sub>" x 2" x 8<sup>5</sup>/<sub>8</sub>"H</a> <a href="#">AH</a>



**UTILITY BASKET**

Model No.
<a href="#">17<sup>3</sup>/<sub>8</sub>" x 7<sup>1</sup>/<sub>2</sub>" x 10"H</a> <a href="#">ASW177</a>



MOBILE UNIT SHOWN WITH OPTIONAL  
BIN DIVIDERS AND PUSH HANDLE



**SUPERIOR**  
SHELVING SYSTEMS

Commercial

21





# SPACE - TRAC


## High Density Mobile Storage System Maximize Your Storage with Minimum Floor Space



**Double your storage space capacity instantly with this economical mobile shelving system.** Provides instant access to inventory and allows maximum air and light circulation. **Space-Trac** is designed to eliminate unnecessary aisles, free-up floor space and increase the number of shelving units that can be used in a designated area. This is done by combining stationary and mobile units, to create or eliminate aisles as needed. The stainless steel overhead track assures smooth shifting of units, eliminates dirt and debris build-up that usually occurs with floor mounted systems and compensates for uneven floors. Both stationary and mobile units are available with a variety of shelf sizes and finishes. Mobile units have 5" polyurethane wheel casters. Simple installation makes this system practical and easy to use.



CONVENTIONAL LAYOUT OF  
FIXED SHELVING



SHELVING MOBILIZED TO  
DOUBLE CAPACITY

GUIDE BLOCK  
(allows for uneven floors)

LOCKING COLLAR

TRACK  
TUBE

POST



## How To Order: Simple to Install, Simple to Use

When choosing component parts, the following factors must be determined.

- 1 - The length of Space-Trac necessary.**  
A-Combine the widths of necessary stationary and mobile units. Add minimum 30" for a single aisle and 2" for every mobile unit used to compensate for bumpers.
- 2 - The shelf length you want to work with** - all shelves must be same length. It is desirable that all shelves be the same width, but it is not required. For simplicity, if choosing different sizes, make stationary units one width and mobile units another.
- 3 - Height of Unit** - when choosing post height, all units must be same height.
- 4 - Choose finish of shelving and posts**, depending on your needs (see chart on page 4).

### 5 - When ordering component parts remember:

- A - Each Stationary Unit** requires 1 stationary unit kit, 4 posts and shelves (you determine number).  
**WIRE SHELVES** - order from page 5  
**SOLID SHELVES** - order from page 10
- B - Each Mobile Unit** requires 1 mobile unit kit and shelves (you determine number).
- C - Space-Trac Guide Bar** (custom sized to a max. length of 12 ft.) for longer systems, order one Joining Insert to connect each additional guide bar ordered.

**You must order a guide bar for the front and back length of the system.**

**Note: For double aisle and double deep systems check with Nexel for quote.**

## Sample Order

### What You Would Need To Order For Illustration Shown

- A - 2 - Stationary Units**  
Consist of: 8 #P86C Posts (4 per unit)  
8 #S2148C Shelves (4 per unit)  
2 #STS1 Stationary Unit Kits (1 per unit)
- B - 3 - Mobile Units**  
Consist of: 3 #STM861C Mobile Unit Kits (1 per unit)  
12 #S2148C Shelves (4 per unit)
- C - 24 Feet Space Trac Guide Bar**  
Consists of: 2 #ST1030 Guide Bars @ 12 ft. each, equals 24 ft. (Sold by the foot)


#### STATIONARY UNIT KIT Model No. STS1

Consists of the following parts:  
4 Guide Blocks  
4 Locking Collars  
4 Foot Plates

**MOBILE UNIT KIT** - order shelves separately to match the width of mobile units.

Consists of the following parts:  
4 Guide Blocks  
4 Posts  
4 Casters  
2 Tie Bars

Width"	Overall Height"	POLYLBRITE	CHROME	NEXELON
18	76	STM748Z	STM748C	STM748N
18	88	STM868Z	STM868C	STM868N
21	76	STM741Z	STM741C	STM741N
21	88	STM861Z	STM861C	STM861N
24	76	STM744Z	STM744C	STM744N
24	88	STM864Z	STM864C	STM864N



POSTS - for Stationary End/Center Units	POLYLBRITE	CHROME	NEXELON
Overall Height"	Model No.	Model No.	Model No.
76	P74Z	P74C	P74N
88	P86Z	P86C	P86N


**WIRE SHELVES** - order from page 3

**SOLID SHELVES** - order from page 12

**SPACE-TRAC GUIDE BAR** - specify required length and order required joining inserts - see example of 16 ft. run.

Model No. ST1030

**SPACE-TRAC GUIDE BAR END CAP** -Model No. ST1060





# SPECIALTY UNITS

## Reel Storage Rack



This sturdy steel reel rack has 6 levels that adjust on 1 1/2" centers and can hold up to 3 axles each. This model includes three 1/2" diameter axles and three 3/4" diameter axles for larger reels. Additional axles sold separately. Can be customized to hold a total of 18 axles. Boltless construction provides easy assembly and tool free level adjustment. Secure to wall or floor for maximum stability. Chip resistant baked enamel finish.

W" x L" x H"	Model No.
24 x 36 x 84	<b>RDR24368</b>
24 x 48 x 84	<b>RDR24488</b>

### ADDITIONAL AXLE BRACKETS

Diameter"	Width"	Model No.
1/2	36	<b>ARDR12</b>
1/2	48	<b>ARDR124</b>
3/4	36	<b>ARDR34</b>
3/4	48	<b>ARDR344</b>

## Carton Stand



Choose from single or two level to meet your needs. Organize corrugated boxes for easy access. 18" x 48" shelves with three 25"H adjustable dividers per shelf and screw type leveling feet for uneven surfaces. Chrome finish.



**SINGLE LEVEL SHOWN WITH OPTIONAL CASTERS**

### CARTON STAND

Description	Model No.
38 1/2"H Single Level	<b>CS38</b>
78 1/2"H Two Level Unit	<b>CS78</b>

Options	Model No.
4" Rubber Swivel Caster Kit	<b>CA4S4</b>
Push Handle (18" Wide)	<b>AE18C</b>
Carton Dividers (Set of 3)	<b>CSD3</b>

## Garment Storage



**THREE SHELF FLOOR UNIT SHOWN WITH OPTIONAL CASTER KIT**

The attractive solution to garment storage. Open wire design minimizes dust accumulation, maximizes ventilation. Shelf adjusts on 1" increments. All models are 24" deep and includes hangers. Wall Rack easily attaches to wall. Two Shelf Model is 63"H. Three Shelf Model is 74"H. Optional Caster Kit adds additional 6" to height. Chrome Finish.




**WALL UNIT**

	No. of Hangers	Wall Unit Model No.	Two Shelf Model No.	Three Shelf Model No.
36"	12	<b>GW36C</b>	<b>G2S36C</b>	<b>G3S36C</b>
48"	18	<b>GW48C</b>	<b>G2S48C</b>	<b>G3S48C</b>
60"	24	<b>GW60C</b>	<b>G2S60C</b>	<b>G3S60C</b>

Options	Model No.
5" Swivel Caster Kit	<b>CA5S4</b>
Package of six chrome hangers	<b>MPH6</b>
17" long	

**Coat Rack Rod Kit** attaches easily under Nexel shelves to display hanging garments. Chrome finish.

Width"	Model No.
36	<b>CRR36</b>
48	<b>CRR48</b>
60	<b>CRR60</b>





# RIVET LOCK BOLTLESS SHELVING



## Rivet Lock

Roll formed steel frame shelves provide rigidity and strength. Shelves adjust on 1 1/2" increments for added options. Easy assembly, no tools required. Unit shown with optional label holders. Extra heavy duty models have double rivet beam on all levels. Available in two baked enamel finishes Gray or Tan. **Add suffix (T) to the model number for Tan finish.**



**EXTRA HEAVY DUTY  
WITH WOOD DECK**



**EXTRA HEAVY DUTY  
WITH LAMINATE DECK**

**WHITE MELAMINE LAMINATE DECK-** 1/2" thick particleboard

W" x D"	Shelf Cap. Lbs.	5'H - 4 Shelf Model No.	7'H - 5 Shelf Model No.	Add'l Shelves Model No.
<b>EXTRA HEAVY DUTY MODELS</b>				
36 x 12	1500	RLX325L	RLX327L	RLX312L
36 x 18	1500	RLX385L	RLX387L	RLX318L
36 x 24	1500	RLX345L	RLX347L	RLX324L
48 x 12	1500	RLX425L	RLX427L	RLX412L
48 x 18	1500	RLX485L	RLX487L	RLX418L
48 x 24	1200	RLX445L	RLX447L	RLX424L

**WOOD DECK -** 5/8" thick particleboard


W" x D"	Shelf Cap. Lbs.	5'H - 4 Shelf Model No.	7'H - 5 Shelf Model No.	8'H-5 Shelf Model No.	Add'l Shelves Model No.
<b>EXTRA HEAVY DUTY MODELS</b>					
36 x 12	1500	RLX325	RLX327	RLX328	RLX312
36 x 18	1500	RLX385	RLX387	RLX388	RLX318
36 x 24	1500	RLX345	RLX347	RLX348	RLX324
48 x 12	1500	RLX425	RLX427	RLX428	RLX412
48 x 18	1500	RLX485	RLX487	RLX488	RLX418
48 x 24	1200	RLX445	RLX447	RLX448	RLX424

**WIRE DECK -** Gray epoxy with 3" square mesh openings

W" x D"	Shelf Cap. Lbs.	5'H - 4 Shelf Model No.	7'H - 5 Shelf Model No.	8'H-5 Shelf Model No.	Add'l Shelves Model No.
<b>EXTRA HEAVY DUTY MODELS</b>					
36 x 12	1500	RLX325W	RLX327W	RLX328W	RLX312W
36 x 18	1500	RLX385W	RLX387W	RLX388W	RLX318W
36 x 24	1500	RLX345W	RLX347W	RLX348W	RLX324W
48 x 12	1500	RLX425W	RLX427W	RLX428W	RLX412W
48 x 18	1500	RLX485W	RLX487W	RLX488W	RLX418W
48 x 24	1200	RLX445W	RLX447W	RLX448W	RLX424W



**EXTRA HEAVY DUTY  
WITH WIRE DECK**




**SUPERIOR**  
SHELVING SYSTEMS

Commercial



# WIDE SPAN & RIVET-LOCK SYSTEM COMPONENTS



**A. UPRIGHTS** - Punched on 1 1/2" centers for easy beam adjustment. 14 gauge Available in two baked enamel finishes Gray or Tan. **T-Posts** used to add on adjacent units. Add suffix (T) to the model number for Tan finish.

ANGLE POST  
2 1/4" x 1 1/2"

Size"	Model No.
36	WR-U364P
60	WR-U604P
72	WR-U724P
84	WR-U844P
96	WR-U964P
120	WR-U120

T- POST  
3 3/4" x 1 1/4"

Size"	Model No.
60	WR-T60
84	WR-T84
96	WR-T96

Angle Posts sold in quantities of 4

**B. BEAMS** - Four beams are required per level. Channel beam - Model No. WR-B96H, has a 30% greater capacity than the standard angle beam. Available in two baked enamel finishes Gray or Tan. Add suffix (T) to the model number for Tan finish.

Size"	DOUBLE RIVET Model No.
12	WR-B12
15	WR-B15
18	WR-B18
24	WR-B24
30	WR-B30
36	WR-B36
42	WR-B42
48	WR-B48
60	WR-B60
72	WR-B72
96	WR-B96
96	(angle) WR-B96H (channel)

**C. DECK SUPPORTS** - Increase shelf capacity by 20% and allows for unexpected heavy loads. Deck supports are only to be ordered as part of the components grouping. They are not intended to be added to complete units to increase the load capacity. Complete units have these supports included. Available in two baked enamel finishes Gray or Tan. Add suffix (T) to the model number for Tan finish.

Shelf W"	Accepts Per Level
36	0
42	1
48	1
60	1
72	1
96	3

Deck Supports Size"	Model No.
15	W-DS15
18	W-DS18
24	W-DS24
30	W-DS30
36	W-DS36
48	W-DS48

**D. WOOD, E. MELAMINE LAMINATE DECKING, F. WIRE DECKING** - Choose the type that suits your needs. Wood decking is constructed of durable 5/8" particleboard. White Melamine laminate on 1/2" particleboard. Wire decking features 3" square mesh openings.

WOOD LAMINATE WIRE			WOOD LAMINATE WIRE		
W" x D"	Model No.	Model No.	W" x D"	Model No.	Model No.
36 x 12	DW312	DL312	72 x 15	DW615*	—
36 x 18	DW318	DL318	72 x 24	DW624*	DL624*
36 x 24	DW324	DL324	72 x 30	DW630*	—
42 x 15	DW415	—	72 x 36	DW636*	DL636*
42 x 30	DW430	—	72 x 48	DW648*	DL648*
48 x 12	DW412	DL412	96 x 24	DW824*	DL824*
48 x 18	DW418	DL418	96 x 36	DW836*	DL836*
48 x 24	DW424	DL424	96 x 48	DW848*	DL848*
48 x 36	DW436	DL436*			
48 x 48	DW448	DL448*			
60 x 18	DW518*	—			
60 x 24	DW524*	DL524*			
60 x 36	DW536*	DL536*			
60 x 48	DW548*	DL548*			

\*Ships in two pieces

**G. WALL BRACKET** - 12"L connects to wall for additional stability.

Color	Model No.
Gray	W-WB12
Tan	W-WB12T

**H. TIE PLATE** - Connects two shelving units side or back to back.

Color	Model No.
Gray	WTP1
Tan	WTP1T

**I. RUBBER Mallet**

Model No.	ARM
-----------	-----

**J. DOLLY BASE** - 14 gauge welded frame. 1200 lb. capacity. Gray enamel finish. Choice of casters 2 rigid and 2 swivel.

Dolly Only W" x D"	Model No.	CASTERS		
		5" x 1 1/4" Polyurethane Model No.	8" x 2" Rubber Model No.	8" x 2 1/2" Pneumatic Model No.
36 x 18	WDB3618	WDB3618P	WDB3618R	WDB3618N
36 x 24	WDB3624	WDB3624P	WDB3624R	WDB3624N
48 x 24	WDB4824	WDB4824P	WDB4824R	WDB4824N
60 x 24	WDB6024	WDB6024P	WDB6024R	WDB6024N

**K. LABEL HOLDER** - Reusable, clear plastic strips have paper inserts that allow you to relabel quickly and easily. Self-Adhesive style sticks to any clean surface, while Magnetic strips work with steel surfaces only. Packaged 12 to a box.

W" x H"	Model No.
SELF ADHESIVE	
6 x 3/4	LH6750A
6 x 2 1/2	LH6250A
MAGNETIC	
6 x 3/4	LH6750M
6 x 2	LH6200M



# W-I-D-E SPAN STORAGE RACKS



## Wire Deck Bulk Rack

Ideal for use where the benefits of open construction are essential. Allows air to circulate freely through 3" square mesh openings. Self cleaning for easy maintenance. For added safety, ensures that sprinkler water can get through rack, helping to reduce Fire Insurance premiums. Provides maximum visibility of contents for quick and easy inventory control. Wire deck finished in gray epoxy. **Add suffix (T) to the model number for Tan finish.**



THREE SHELF UNIT- GRAY OR TAN FINISH

W" x D"	Shelf Cap. Lbs.	Deck Supports Per Level	60"H	84"H	96"H	Add'l Shelves
48 x 24	1200	0	WR4245	WR4247	WR4248	WRS424
48 x 36	1200	0	WR4365	WR4367	WR4368	WRS436
48 x 48	1200	0	WR4485	WR4487	WR4488	WRS448
60 x 24	1200	1	WR5245	WR5247	WR5248	WRS524
60 x 36	1200	1	WR5365	WR5367	WR5368	WRS536
60 x 48	1200	1	WR5485	WR5487	WR5488	WRS548
72 x 24	900	1	WR6245	WR6247	WR6248	WRS624
72 x 36	900	1	WR6365	WR6367	WR6368	WRS636
72 x 48	900	1	WR6485	WR6487	WR6488	WRS648
96 x 24	800	3	WR8245	WR8247	WR8248	WRS824
96 x 24*	1100	3	WRH8245	WRH8247	WRH8248	WRHS824
96 x 36	800	3	WR8365	WR8367	WR8368	WRS836
96 x 36*	1100	3	WRH8365	WRH8367	WRH8368	WRHS836
96 x 48	800	3	WR8485	WR8487	WR8488	WRS848
96 x 48*	1100	3	WRH8485	WRH8487	WRH8488	WRHS848

## Wood Deck Bulk Rack

High capacity 5/8" thick pre-cut, non-warping particleboard decking for dependable strength in a wide range of storage applications.



THREE SHELF UNIT- GRAY OR TAN FINISH

W" x D"	Shelf Cap. Lbs.	Deck Supports Per Level	60"H	84"H	96"H	Add'l Shelves
48 x 24	1200	0	WD4245	WD4247	WD4248	WDS424
48 x 36	1200	0	WD4365	WD4367	WD4368	WDS436
48 x 48	1200	0	WD4485	WD4487	WD4488	WDS448
60 x 24	1200	0	WDL5245	WDL5247	WDL5248	WDSL524
60 x 24	1400	1	WD5245	WD5247	WD5248	WDS524
60 x 36	1200	0	WDL5365	WDL5367	WDL5368	WDSL536
60 x 36	1400	1	WD5365	WD5367	WD5368	WDS536
60 x 48	1200	0	WDL5485	WDL5487	WDL5488	WDSL548
60 x 48	1400	1	WD5485	WD5487	WD5488	WDS548
72 x 15	750	1	WD6155	WD6157	WD6158	WDS615
72 x 24	900	0	WD6245	WD6247	WD6248	WDS624
72 x 30	900	0	WD6305	WD6307	WD6308	WDS630
72 x 36	900	0	WD6365	WD6367	WD6368	WDS636
72 x 48	900	0	WDL6485	WDL6487	WDL6488	WDSL648
72 x 48	1000	1	WD6485	WD6487	WD6488	WDS648
96 x 24	800	3	WDL8245	WDL8247	WDL8248	WDSL824
96 x 24*	1100	3	WD8245	WD8247	WD8248	WDS824
96 x 36	800	3	WDL8365	WDL8367	WDL8368	WDSL836
96 x 36*	1100	3	WD8365	WD8367	WD8368	WDS836
96 x 48	800	3	WDL8485	WDL8487	WDL8488	WDSL848
96 x 48*	1100	3	WD8485	WD8487	WD8488	WDS848

\* INCLUDES 96" HEAVY DUTY CHANNEL BEAM

**Low Cost Wire and Wood Deck Bulk Storage Racks** are space-efficient to make maximum use of your storage area. Extra high, wide and deep racks accommodate a variety of sizes and shapes. For use in retail, commercial and industrial applications. Four side accessibility for convenient hand loading.

Easy set-up with snap-in pre-cut components. No nuts, bolts, clips or tools required. Sturdy roll-formed steel framing provides maximum support. Front-to-back supports help prevent beams from rotating when fully loaded. Unique double button stud construction locks perimeter beams into corner post forming a structurally secure joint, eliminates back and side sway. Chip resistant Gray or Tan baked enamel finish. Rugged 1 1/2" x 2 1/4" x 14 ga. steel uprights are punched on 1 1/2" centers. **Add suffix (T) to the model number for Tan finish.**




**SUPERIOR**  
SHELVE SYSTEMS

Commercial

27



# PARTS & ACCESSORIES




**A. 6 OUTLET POWER CENTER**  
Model No. **APC**

**B. BIN RAIL** Model No. **BR60**  
Use with 60" wide shelves or independently with wall mount kit. For large storage needs. Adjusts on 1" increments.

**C. REEL HOLDER** Model No. **AR60**  
Keeps spools on hand for immediate access. 60"W.



**WIRE KEYBOARD DRAWER SHELF** Model No. **AKD211**  
Accepts keyboards up to 21"W x 11"D. Has a 6" height adjustment. 25 1/4"W x 15"D x 4 1/4"H.



**LABEL HOLDER**

Length"	Color	Model No.
3	Black	<b>ABM3</b>
3	Clear	<b>ABM3C</b>
12	Clear	<b>ABM12C</b>
24	Clear	<b>ABM24C</b>



**LOCKING POST COLLAR**  
Model No. **APL**



**LARGE 1 1/2" SHELF COLLAR HOOK**  
Model No. **SSB2C**



**SMALL 1/2" SHELF COLLAR HOOK**  
Model No. **SSB1C**



**UTILITY BASKET** Model No. **ASW177**  
17 3/8" x 7 1/2" x 10"H.



**DOCUMENT HOLDER** Model No. **AH**  
12 3/8" x 2" x 8 5/8"H



**POST CLAMP** Width" Space" Model No.  
Securely joins 2 5/8 7/16 **AC**  
two sections 3 5/8 1 3/8 **ACX**  
together.



**SHELF COLLAR PLUG**  
Model No. **AL**  
Use on shelf collar.



**POST CAP**  
Model No. **AP**  
Use on top of post.



**RUBBER Mallet**  
Model No. **ARM**



**WALL MOUNTING BRACKET**  
Model No. **AW2C**  
Secures posts to wall - 2" clearance.



**ALUMINUM SHELF CLIP WITH RETAINER RING**  
Model No. **AMA**



**SHELF CLIP (4 PAIR)**  
Model No. **AM**



**S HOOK**  
Model No. **AS** - Use 2 for each add-on wire shelf. Sold 12 per package



**NON-MARRING FLOOR GLIDE**  
Model No. **AG**



**POST LEVELER BOLT & INSERT**  
Model No. **AX**



**3 1/2" DONUT BUMPER**  
Model No. **AB3**



**FOOT PLATE**  
Model No. **AF**





# PARTS & ACCESSORIES



## Safety Push Handles

Make maneuvering simple. Safety push handle keeps hands within cart width preventing bumps with walls and objects. Chrome finish.



Width"	Model No.
18	AE18C
21	AE21C
24	AE24C


## Utility Cart Handles

Offset tubular handle constructed of 1" steel tubing, grooved on 1" increments for easy shelf adjustment. 33"H. Chrome finish.



Width"	Model No.
18	AH18C
21	AH21C
24	AH24C

## Tray Slide Inserts



Ideal for use on shelving, trucks and carts. Tray Slide Inserts save valuable space by allowing you to suspend trays and tote pans between shelves. Slides fit between any 18" or 24" deep wire shelves when spaced 22" apart. Slides adjust on 1 1/2" centers. Chrome finish.

**Single-Tray Slide Insert.** Attach a tray below wire 18" or 24" shelf with easy to install brackets to create a slide-out drawer.

MULTI-TRAY		MODU-BOX	
Size"	Model No.	L" x W" x H"	Model No.
18	AT18C	16 x 11 x 5	TB165
24	AT24C	22 x 17 x 5	TB225
		22 x 17 x 6	TB226
		22 x 17 x 8	TB228
		24 x 11 x 8	TB248

Model No.
AST24C

## Ledges

Protect your valuable inventory. Ledges help keep items from falling off edge of shelf. Snaps onto perimeter of shelf creating 4"H retaining edge. If higher ledge is required, stack for 8", 12" etc. Chrome or EP finish.

	CHROME	EP
Size"	Model No.	Model No.
14	AL414C	AL414EP
18	AL418C	AL418EP
21	AL421C	AL421EP
24	AL424C	AL424EP
30	AL430C	AL430EP
36	AL436C	AL436EP
42	AL442C	AL442EP
48	AL448C	AL448EP
54	AL454C	AL454EP
60	AL460C	AL460EP
72	AL472C	AL472EP



## Rods & Clips

Enclose back and/or sides of shelving easily with rods and clips. Purchase rods and clips separately. Chrome finish.



FRONT/BACK CLIP

Model No.
AT



SIDE CLIP

Model No.
SRT

Length"	Model No.
52	AR54C
61	AR63C
72	AR74C
84	AR86C



## Shelf Dividers

Installs easily without the use of bolts, nuts or clips. Attaches at any point along shelf. 8" high. Chrome or EP finish.



	CHROME	EP
Size"	Model No.	Model No.
14	AD814C	AD814EP
18	AD818C	AD818EP
21	AD821C	AD821EP
24	AD824C	AD824EP

## Hangar Rails

Hanging Rail can be mounted along the length or width of shelving unit. Hooks can be easily attached to Hangar Rails. Chrome finish.



Size"	Model No.	Size"	Model No.
18	AHR18C	48	AHR48C
24	AHR24C	60	AHR60C
36	AHR36C	72	AHR72C





# PARTS & ACCESSORIES

## Cart Covers



COVERS ENTIRE CART/TRUCK



PANEL FOLDS BACK FOR EASY SHELF ACCESSIBILITY



10 GAGE CLEAR VINYL

Helps keep contents dust and dirt free. Made of water resistant, 400 denier nylon or 10 gage vinyl with reinforced corners and double stitching for maximum durability. Velcro or zipper closure. **Specify color suffix (RD) Red, (BL) Blue, (WH) White or (CL) Clear, when ordering. Special orders upon request. Cart covers are not returnable.**

Cover L" x H"	Model For Use With	
	18"W Unit	24"W Unit
36 x 63	CO1836	CO2436
48 x 63	CO1846	CO2446
60 x 63	CO1856	CO2456
72 x 63	CO1866	CO2466

Cover L" x H"	Model For Use With	
	18"W Unit	24"W Unit
36 x 74	CO1837	CO2437
48 x 74	CO1847	CO2447
60 x 74	CO1857	CO2457
72 x 74	CO1867	CO2467


## Shelf Mats



Keep items from falling through open shelving. Durable .035 plastic sheet that can be removed easily for cleaning.


D" x W"	Model No.
18 x 36	SM1836CL
18 x 48	SM1848CL
18 x 60	SM1860CL
18 x 72	SM1872CL
24 x 36	SM2436CL
24 x 48	SM2448CL
24 x 60	SM2460CL
24 x 72	SM2472CL

## Upright Extension Kit



Extend the height of your shelving unit instantly. Upright Extension Kit allows you to increase your shelving unit up to a maximum of 140". Extended units must be securely anchored to wall with mounting brackets, kit converts two posts. Two post kit includes two threaded post inserts, two double threaded bolts and four wall mounting brackets. Mounting screws not included.

Model No.
AX4C



# CASTERS & DOLLIES



Description: Black Nylon Twin Wheel,  
1 3/4" x 2", 90 lb. capacity. 3/8"-16 Threaded  
Stem. Fits Standard Leveler Inserts.

Type	Model No.
Swivel, 2 w/Brake (Set of 4)	CA2BN4

Description: Resilient Rubber Wheel,  
1 1/4" x 5", 200 lb. capacity.

Type	Model No.
Swivel (Set of 4)	CA5S4R
Swivel w/Brake (Set of 4)	CA5BR4
Swivel 2 w/Brake (Set of 4)	CA5SBR

Description: Polyurethane Wheel,  
1 1/4" x 5", 300 lb. capacity

Type	Model No.
Swivel (Set of 4)	CA5S4
Swivel w/Brake (Set of 4)	CA5BP4
Swivel, 2 w/Brake (Set of 4)	CA5SB
Rigid (Set of 4)	CA5R4*
Swivel, 2 w/Brake, 2 Rigid (Set of 4)	CA5RSB*
Stainless Steel, Swivel, 2 w/Brake (Set of 4)	CA5SBS

Description: Polymer Caster,  
1 1/4" x 5", 300lb. capacity.

Type	Model No.
Swivel, 2 w/Brake	CA5SBP

Description: Pneumatic Wheel,  
2.5" x 8", 300 lb. capacity.

Type	Model No.
2 Swivel, 2 Rigid (Set of 4)	CA85RN*

**Note:** Load capacity  
ratings are per caster.  
All Stem casters include  
donut bumpers, (except  
CA2BN4.) \*Requires  
Tie Bar-See Below

## Stem Casters



DONUT BUMPER



BLACK NYLON



RUBBER SWIVEL



RUBBER SWIVEL  
WITH BRAKE



POLYURETHANE  
SWIVEL



POLYURETHANE  
SWIVEL WITH BRAKE



POLYURETHANE  
RIGID



POLYMER  
SWIVEL



POLYMER  
SWIVEL WITH BRAKE




PNEUMATIC  
SWIVEL

## Tie Bars

**Rigid Stem Casters** require the use of a tie bar to assure rigid caster alignment. The bar connects the casters across the narrow width dimension of the cart or truck. For every two casters ordered, one tie bar must be used. Finished in chrome. The bar size must match shelf width.

Size"	Model No.
18	ATB18
21	ATB21
24	ATB24



## Plate Casters

Type	Model No.	Wheel Size"	Plate Size**	Wheel Tread	Load Rating (lbs.)
Swivel	ACP5SP	5 x 1 1/4	4 1/2 x 3 3/4	Polyurethane	250
Swivel w/Brake	ACP5BP	5 x 1 1/4	4 1/2 x 3 3/4	Polyurethane	250
Rigid	ACP5RP	5 x 1 1/4	4 1/2 x 3 3/4	Polyurethane	250
Swivel	ACP6SR	6 x 2	4 1/2 x 3 3/4	Mold-on-Rubber	500
Rigid	ACP6RR	6 x 2	4 1/2 x 3 3/4	Mold-on-Rubber	500
Swivel	ACP8SR	8 x 2	4 x 4 1/2	Pneumatic	300
Rigid	ACP8RR	8 x 2	4 x 4 1/2	Pneumatic	300

**Note:** For overall height add approximately 1 1/2" to wheel size.  
Add 3" for 8" caster. \* 2 5/8" x 3 5/8" bolt spacing on mounting plates



POLYURETHANE  
SWIVEL



POLYURETHANE  
RIGID



POLYURETHANE SWIVEL  
WITH BRAKE



RUBBER SWIVEL



RUBBER RIGID



PNEUMATIC SWIVEL



PNEUMATIC RIGID

## Dolly Bases

Allows you to create a heavy duty,  
mobile shelving unit or cart.  
Constructed of durable formed steel,  
chrome plated finish. Includes corner  
bumpers. Plate casters must be  
ordered separately.

W" x L"	Model No.
18 x 36	DBC1836
18 x 48	DBC1848
18 x 60	DBC1860
24 x 36	DBC2436
24 x 48	DBC2448
24 x 60	DBC2460








# WIRE SHELF STEM CASTER TRUCKS



SHOWN WITH OPTIONAL  
LEDGES, DIVIDERS, DOCUMENT  
HOLDER AND SAFETY HANDLE

Provides high visibility and easy 4-way access. Ensures quick and efficient inventory control. Ideal for mobile storage requirements. Allows air to circulate throughout, eliminating dust and dirt build-up. Allows you to keep linens, food items, stocked products and other regularly used items on hand, throughout the workplace.

Locking post collars are recommended for rough use over the road vibration and jolting. Order one per shelf. Part No. APL. See page 28.



LEDGES		
Size"	Chrome Model No.	EP Series Model No.
18	AL418C	AL418EP
21	AL421C	AL421EP
24	AL424C	AL424EP
36	AL436C	AL436EP
48	AL448C	AL448EP
60	AL460C	AL460EP

SHELF DIVIDERS		
Size"	Chrome Model No.	EP Series Model No.
18	AD818C	AD818EP
21	AD821C	AD821EP
24	AD824C	AD824EP

SAFETY PUSH HANDLE	
Width"	Model No.
18	AE18C
21	AE21C
24	AE24C

**Truck** consists of 4 posts, 4 shelves, plastic shelf clips, donut bumpers and swivel casters. Posts are 63"H. Casters are available in 5" resilient rubber wheel stem casters that have an 800 lb. load capacity, 5" polyurethane stem casters that have a 1200 lb. load capacity or 8" full pneumatic stem casters with a 1200 lb. capacity.



POLY-BRITE *			
W" x L"	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	C1836RZ	C1836PZ	C1836NZ
18 x 48	C1848RZ	C1848PZ	C1848NZ
18 x 60	C1860RZ	C1860PZ	C1860NZ
21 x 36	C2136RZ	C2136PZ	C2136NZ
21 x 48	C2148RZ	C2148PZ	C2148NZ
21 x 60	C2160RZ	C2160PZ	C2160NZ
24 x 36	C2436RZ	C2436PZ	C2436NZ
24 x 48	C2448RZ	C2448PZ	C2448NZ
24 x 60	C2460RZ	C2460PZ	C2460NZ

CHROME			
W" x L"	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	C1836RC	C1836PC	C1836NC
18 x 48	C1848RC	C1848PC	C1848NC
18 x 60	C1860RC	C1860PC	C1860NC
21 x 36	C2136RC	C2136PC	C2136NC
21 x 48	C2148RC	C2148PC	C2148NC
21 x 60	C2160RC	C2160PC	C2160NC
24 x 36	C2436RC	C2436PC	C2436NC
24 x 48	C2448RC	C2448PC	C2448NC
24 x 60	C2460RC	C2460PC	C2460NC

NEXELON *			
W" x L"	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	C1836RN	C1836PN	C1836NN
18 x 48	C1848RN	C1848PN	C1848NN
18 x 60	C1860RN	C1860PN	C1860NN
21 x 36	C2136RN	C2136PN	C2136NN
21 x 48	C2148RN	C2148PN	C2148NN
21 x 60	C2160RN	C2160PN	C2160NN
24 x 36	C2436RN	C2436PN	C2436NN
24 x 48	C2448RN	C2448PN	C2448NN
24 x 60	C2460RN	C2460PN	C2460NN

STAINLESS STEEL			
W" x L"	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	C1836RS	C1836PS	C1836NS
18 x 48	C1848RS	C1848PS	C1848NS
24 x 36	C2436RS	C2436PS	C2436NS
24 x 48	C2448RS	C2448PS	C2448NS

\*Protected by NEXGard

**NOTE:** If rigid or brake style casters are required for your application, order a starter shelving unit and casters separately.

# WIRE SHELF DOLLY TRUCKS



Durability is the key to this mobile storage unit. Designed to answer a variety of material handling, food service and health facility needs. Open construction ensures easy access, while solid dolly base provides maximum stability. This truck is engineered to handle daily abuse for a lifetime of use.

<b>POLYFLBRITE*</b>		
W" x L"	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	D1836PZ	D1836NZ
18 x 48	D1848PZ	D1848NZ
18 x 60	D1860PZ	D1860NZ
24 x 36	D2436PZ	D2436NZ
24 x 48	D2448PZ	D2448NZ
24 x 60	D2460PZ	D2460NZ

<b>CHROME</b>		
W" x L"	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	D1836PC	D1836NC
18 x 48	D1848PC	D1848NC
18 x 60	D1860PC	D1860NC
24 x 36	D2436PC	D2436NC
24 x 48	D2448PC	D2448NC
24 x 60	D2460PC	D2460NC

<b>NEXELON*</b>		
W" x L"	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	D1836PN	D1836NN
18 x 48	D1848PN	D1848NN
18 x 60	D1860PN	D1860NN
24 x 36	D2436PN	D2436NN
24 x 48	D2448PN	D2448NN
24 x 60	D2460PN	D2460NN

<b>STAINLESS STEEL</b>		
W" x L"	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 36	D1836PS	D1836NS
18 x 48	D1848PS	D1848NS
24 x 36	D2436PS	D2436NS
24 x 48	D2448PS	D2448NS

\*Protected by NEXGard



**DOCUMENT HOLDER**

Model No. **AH**



**UTILITY BASKET**


Model No. **ASW177**



SHOWN WITH OPTIONAL  
LEDGES, DIVIDER AND  
8" PNEUMATIC WHEELS

**Truck** consists of 4 posts, 4 shelves, plastic shelf clips, truck dolly with corner rubber bumper and two swivel and two rigid casters. Posts are 63"H. Available with 5" polyurethane wheel plate casters that have a 1000 lb. load capacity or 8" pneumatic wheel plate casters with a 1200 lb. load capacity. Dolly base is heavy duty steel. Chrome finish.

*Food Service*



**SUPERIOR**  
SHELVING SYSTEMS



# SOLID SHELF TRUCK



SHOWN WITH OPTIONAL  
LEDGES, DIVIDERS, SAFETY HANDLE  
AND DOCUMENT HOLDER

## Stem Caster Truck

Keep linens, food items, stocked products and other regularly used items on hand, throughout the workplace. Ideal for mobile storage requirements. Easy 4-way access and visibility. Ensures quick and efficient inventory control. **Truck** consists of 4 posts, 4 solid shelves, plastic shelf clips, donut bumpers and 5" dia. swivel casters. Posts are 63"H. Overall truck height is 69". Casters are available in resilient rubber wheel stem casters that have an 800 lb. load capacity or polyurethane wheel stem casters that have a 1200 lb. load capacity.

**NOTE:** If rigid, brake or larger casters are required for your application, order a starter shelving unit and casters separately.

W" x L"	Rubber Wheel Casters				Polyurethane Casters			
	Four Swivel		Four Swivel (2 with brake)		Four Swivel		Four Swivel (2 with brake)	
	Poly-Z-Brite Model No.	Stainless Steel Model No.	Poly-Z-Brite Model No.	Stainless Steel Model No.	Poly-Z-Brite Model No.	Stainless Steel Model No.	Poly-Z-Brite Model No.	Stainless Steel Model No.
18 x 36	C1836RZ4	C1836RS4	C1836RZ2	C1836RS2	C1836PZ4	C1836PS4	C1836PZ2	C1836PS2
18 x 48	C1848RZ4	—	C1848RZ2	—	C1848PZ4	—	C1848PZ2	—
18 x 60	C1860RZ4	—	C1860RZ2	—	C1860PZ4	—	C1860PZ2	—
18 x 72	C1872RZ4	—	C1872RZ2	—	C1872PZ4	—	C1872PZ2	—
24 x 36	C2436RZ4	C2436RS4	C2436RZ2	C2436RS2	C2436PZ4	C2436PS4	C2436PZ2	C2436PS2
24 x 48	C2448RZ4	C2448RS4	C2448RZ2	C2448RS2	C2448PZ4	C2448PS4	C2448PZ2	C2448PS2
24 x 60	C2460RZ4	—	C2460RZ2	—	C2460PZ4	—	C2460PZ2	—
24 x 72	C2472RZ4	—	C2472RZ2	—	C2472PZ4	—	C2472PZ2	—

### SHELF LEDGES

Length"	Model No.
18	SL18C
24	SL24C
36	SL36C
48	SL48C
60	SL60C
72	SL72C

### SHELF DIVIDERS

Length"	Model No.
18	SL18C
24	SL24C



## Dolly Base Truck

Engineered to handle daily abuse for a lifetime of use. Durable construction answers a variety of material handling, food service and health facility needs. Dolly base is heavy duty steel, chrome plated, and provides maximum stability. **Truck** consists of 4 posts, 4 solid shelves, plastic shelf clips, truck dolly with rubber corner bumper and 5" dia. swivel casters. Posts are 63"H. Overall truck height is 69". Polyurethane plate casters have a 1,000 lb. load capacity.

**NOTE:** If rigid, brake or larger casters are required for your application, order shelves, posts, dolly base and casters separately as components.

W" x L"	Polyurethane Casters			
	Four Swivel		Four Swivel (2 with brake)	
	Poly-Z-Brite Model No.	Stainless Steel Model No.	Poly-Z-Brite Model No.	Stainless Steel Model No.
18 x 36	D1836PZ4	D1836PS4	D1836PZ2	D1836PS2
18 x 48	D1848PZ4	—	D1848PZ2	—
18 x 60	D1860PZ4	—	D1860PZ2	—
24 x 36	D2436PZ4	D2436PS4	D2436PZ2	D2436PS2
24 x 48	D2448PZ4	D2448PS4	D2448PZ2	D2448PS2
24 x 60	D2460PZ4	—	D2460PZ2	—





# TRAY TRUCKS



Open Design allows easy access and removal of contents, while minimizing dust accumulation and providing maximum air circulation. Highly space efficient. Trays adjust and remove easily and quickly. Non-Marring 5" x 1 1/4" polyurethane swivel casters (2 with brake) make your units mobile. Carts available in two different sizes. Chrome finish. Uses 26" x 18" trays, optional. Available in both side load and end load.

Our optional tray stop kit is available to help prevent trays from sliding out of cart. Stops fit both end load and side load trucks.

Size W" x L" x H"	Tray Capacity	Tray Type	Model No.
18 x 30 x 39	19	Side	TT19C
18 x 30 x 68	39	Side	TT39C
21 x 30 x 39	19	End	TT19CEL
21 x 30 x 68	39	End	TT39CEL

TRAY STOP KITS	
Cart Height"	Model No.
39	TS39C
68	TS68C

**Optional Trays** are 26" x 18" and temperature resistant from -60° to 250° F. Standard Trays are molded of off-white Fiberglass and have wire reinforced edges for extra strength. ESD Conductive Trays are molded of black thermoset composite material with permanent surface resistivity of  $<10^5$  ohms/CQ.

Tray Style	Model
Standard	FT2618
ESD	CT2618



**Trays  
Optional**



**ESD Conversion Kit** includes conductive Aluminum Shelf Sleeves and dissipative ground chain.

Model No. **ESDK**

## Aluminum Shelf Clip

Use for high temperatures, heavy duty mobile trucks or conductive requirements.

Model No. **AMA**



## Grounding Chain

Attaches to bottom shelf of mobile carts. Must be used in conjunction with aluminum shelf clips.

Model No. **AGK**



## Tray Drying/Storage Racks

Ideal for both tray drying and storage. The modules fit on any 24" wide shelf. Modules come in 12" and 16" lengths. Combine modules to fit any length shelf. Uprights are spaced 1.75" apart. Modules fit over shelves. Poly Z Brite finish.

W" x L" x H"	Tray Capacity	Model No.
24 x 12 x 8 1/2	7	TR1224Z
24 x 16 x 8 1/2	9	TR1624Z



Food Service



**SUPERIOR**  
SHELVING SYSTEMS

35



# EXCHANGE & LINEN TRANSPORT TRUCKS



Reduce inventory requirements and dispensing time by using this top of the line cart for exchanging supplies throughout health care or institutional facilities. Allows you to quickly view inventory on a daily basis. Reduced handling helps ensure quality control. Lightweight design makes for easy maneuvering, dolly base models help provide maximum stability. Designed for versatility, accessories can be added as requirements change. Carts feature open construction for maximum visibility and air penetration. Fast, easy assembly. Shelves with plastic clips easily lock into place on numbered posts and are adjustable on 1" increments. A variety of styles are available, choose the cart that best suits your needs. 69" high.

#### FINISH SPECIFICATIONS:

**Posts** - Chrome plated  
**Wire Shelves** - Chrome plated  
**Solid Shelves** - Galvanized  
**Enclosure Panels** - Chrome plated  
**Dolly Base** - Chrome plated

**STANDARD DUTY** - 800 lb. capacity. Features 5" resilient rubber wheel swivel stem casters - two with brake.

**All units include 2 label holders per shelf.**

**FOR STANDARD & HEAVY DUTY TRUCKS NOTE:** The following optional accessories can add to the versatility of your unit. See the pages listed for additional descriptions and model numbers.

ITEM	SEE PAGE
Wire Shelves	5
Solid Shelves	9
Three Sided Enclosure Panels	19
Label Holders	28
Document Holder	28
Tray Slide Inserts	29
Dividers	29
Safety Push Handle	29
Shelf Mats	30
Cart Covers	30
Tote Boxes/Drawers	49

**NOTE: ALL UNITS ARE AVAILABLE IN POLY-Z-BRITE FINISH. CHECK WITH NEXEL PRICE LIST FOR ORDERING INFORMATION**

• Five Wire Shelves

• Four Wire Shelves • One Solid Shelf

• Five Wire Shelves • Three Sided Enclosure Panels




W" x L"	Model No.
24 x 48	XS52448
24 x 60	XS52460



W" x L"	Model No.
24 x 48	XS412448
24 x 60	XS412460



W" x L"	Model No.
24 x 48	XS548EP
24 x 60	XS560EP





# EXCHANGE & LINEN TRANSPORT TRUCKS



- Five Wire Shelves
  - Three Sided Enclosure Panels
- Shown with Optional Dividers



W" x L"	Model No.
24 x 48	XH548EP
24 x 60	XH560EP

**HEAVY DUTY** - 1000 lb. capacity. Features steel dolly base with 5" polyurethane wheel swivel plate casters - two with brake.

All units include 2 label holders per intermediate wire shelf.

NOTE: ALL UNITS ARE AVAILABLE IN POLY-Z-BRITE FINISH.  
CHECK WITH NEXEL PRICE LIST  
FOR ORDERING INFORMATION

- Four Wire Shelves
  - One Solid Shelf
- Shown with Optional Dividers,  
Tray Slides & Tote Boxes



W" x L"	Model No.
24 x 48	XH412448
24 x 60	XH412460

- Three Wire Shelves
- Three Sided Enclosure Panels
- Two Dunnage Frames



W" x L"	Model No.
24 x 48	XH2148EP
24 x 60	XH2160EP

- Five Wire Shelves
- Shown with Optional Dividers



W" x L"	Model No.
24 x 48	XH52448
24 x 60	XH52460

- Five Wire Shelves
  - One Solid Shelf
  - Three Sided Enclosure Panels
- Shown with Optional Dividers, Tray Slides & Tote Boxes



W" x L"	Model No.
24 x 48	XH4148EP
24 x 60	XH4160EP





# UTILITY CARTS – WIRE SHELF

## Utility Carts

Multi-purpose cart can store and transport packages, inventory, linens or food. Easy to handle cart can be maneuvered through corridors and doorways without difficulty. Shelves adjust on 1" increments for added versatility.



TWO SHELF CART SHOWN WITH OPTIONAL LEDGES



SHOWN WITH OPTIONAL LEDGES, DIVIDER AND SHELF MATS

**NOTE:** To create other size carts, order shelves, handles, ledges and casters as components. "U" shaped handles are furnished in chrome finish on all units.

**Cart** consists of 2 chrome-plated "U" shaped handles, 2 or 3 shelves (as indicated), plastic shelf clips, choice of caster and donut bumpers. Casters are available in resilient rubber wheel casters with a capacity of 800 lbs., polyurethane wheel casters that have a 1200 lb. load capacity and 8" full pneumatic wheels with a capacity of 1200 lbs. Rubber and polyurethane casters come packaged as 4 swivel stem casters. Full pneumatic comes packed as 2 rigid and 2 swivel casters. Tie Bar included. Overall height 39".

### TWO SHELF MODELS

W" x L"	POLY-FLBRITE*			CHROME			NEXELON*		
	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 30	1830R2Z	1830P2Z	1830N2Z	1830R2C	1830P2C	1830N2C	1830R2N	1830P2N	1830N2N
18 x 36	1836R2Z	1836P2Z	1836N2Z	1836R2C	1836P2C	1836N2C	1836R2N	1836P2N	1836N2N
18 x 42	1842R2Z	1842P2Z	1842N2Z	1842R2C	1842P2C	1842N2C	1842R2N	1842P2N	1842N2N
21 x 30	2130R2Z	2130P2Z	2130N2Z	2130R2C	2130P2C	2130N2C	2130R2N	2130P2N	2130N2N
21 x 36	2136R2Z	2136P2Z	2136N2Z	2136R2C	2136P2C	2136N2C	2136R2N	2136P2N	2136N2N
21 x 42	2142R2Z	2142P2Z	2142N2Z	2142R2C	2142P2C	2142N2C	2142R2N	2142P2N	2142N2N
21 x 48	2148R2Z	2148P2Z	2148N2Z	2148R2C	2148P2C	2148N2C	2148R2N	2148P2N	2148N2N
24 x 30	2430R2Z	2430P2Z	2430N2Z	2430R2C	2430P2C	2430N2C	2430R2N	2430P2N	2430N2N
24 x 36	2436R2Z	2436P2Z	2436N2Z	2436R2C	2436P2C	2436N2C	2436R2N	2436P2N	2436N2N
24 x 42	2442R2Z	2442P2Z	2442N2Z	2442R2C	2442P2C	2442N2C	2442R2N	2442P2N	2442N2N
24 x 48	2448R2Z	2448P2Z	2448N2Z	2448R2C	2448P2C	2448N2C	2448R2N	2448P2N	2448N2N
24 x 60	2460R2Z	2460P2Z	2460N2Z	2460R2C	2460P2C	2460N2C	2460R2N	2460P2N	2460N2N

### THREE SHELF MODELS

W" x L"	POLY-FLBRITE*			CHROME			NEXELON*		
	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.	Rubber Wheel Casters Model No.	Polyurethane Wheel Casters Model No.	Pneumatic Wheel Casters Model No.
18 x 30	1830R3Z	1830P3Z	1830N3Z	1830R3C	1830P3C	1830N3C	1830R3N	1830P3N	1830N3N
18 x 36	1836R3Z	1836P3Z	1836N3Z	1836R3C	1836P3C	1836N3C	1836R3N	1836P3N	1836N3N
18 x 42	1842R3Z	1842P3Z	1842N3Z	1842R3C	1842P3C	1842N3C	1842R3N	1842P3N	1842N3N
21 x 30	2130R3Z	2130P3Z	2130N3Z	2130R3C	2130P3C	2130N3C	2130R3N	2130P3N	2130N3N
21 x 36	2136R3Z	2136P3Z	2136N3Z	2136R3C	2136P3C	2136N3C	2136R3N	2136P3N	2136N3N
21 x 42	2142R3Z	2142P3Z	2142N3Z	2142R3C	2142P3C	2142N3C	2142R3N	2142P3N	2142N3N
21 x 48	2148R3Z	2148P3Z	2148N3Z	2148R3C	2148P3C	2148N3C	2148R3N	2148P3N	2148N3N
24 x 30	2430R3Z	2430P3Z	2430N3Z	2430R3C	2430P3C	2430N3C	2430R3N	2430P3N	2430N3N
24 x 36	2436R3Z	2436P3Z	2436N3Z	2436R3C	2436P3C	2436N3C	2436R3N	2436P3N	2436N3N
24 x 42	2442R3Z	2442P3Z	2442N3Z	2442R3C	2442P3C	2442N3C	2442R3N	2442P3N	2442N3N
24 x 48	2448R3Z	2448P3Z	2448N3Z	2448R3C	2448P3C	2448N3C	2448R3N	2448P3N	2448N3N
24 x 60	2460R3Z	2460P3Z	2460N3Z	2460R3C	2460P3C	2460N3C	2460R3N	2460P3N	2460N3N



\*Protected by NEXGard

# UTILITY CARTS – SOLID SHELF



## Galvanized or Stainless Steel Utility Cart

Perfect for food service, hospitals, labs, inventory and more. Choose between Galvanized or Type 304 Stainless Steel shelves. Shelves adjust on 1" increments to accommodate varying requirements. 5" polyurethane swivel casters with donut bumpers help protect walls and doorways. Handles have a chrome finish. Choose between 2 or 3 shelf carts. 800 lb. capacity. For additional configurations or sizes, order shelves, handles and casters individually. Wire, solid and plastic shelves can be mixed on the same unit. Overall height 39".

### 2 SHELF

W" x L"	Galvanized Model No.	Stainless Model No.
18 x 36	1836P2SZ	1836P2SS
24 x 36	2436P2SZ	2436P2SS
24 x 48	2448P2SZ	2448P2SS

### 3 SHELF

W" x L"	Galvanized Model No.	Stainless Model No.
18 x 36	1836P3SZ	1836P3SS
24 x 36	2436P3SZ	2436P3SS
24 x 48	2448P3SZ	2448P3SS

### SHELF LEDGES

Length"	Model No.
18	SL18C
24	SL24C
36	SL36C
48	SL48C

### SHELF DIVIDERS

Length"	Model No.
18	SD18C
24	SD24C



**SUPERIOR**  
SHELVING SYSTEMS



SHOWN WITH OPTIONAL  
SHELF DIVIDERS AND LEDGES



SIMPLY SNAP TOGETHER AND  
SLIDE SHELF OVER CLIPS FOR  
POSITIVE LOCKING.



# SHELF & UTILITY CARTS

## Adjustable Shelf Cart

### Chrome Plated Wire or Galvanized Solid Steel Shelves

Super-strong cart stores and transports safely and efficiently. Ideal for warehouse, lab, factory, hospital and more. Shelves adjust on 1" increments. Numbered posts allow quick positioning at desired height. 5" polyurethane wheel swivel casters with donut bumpers. 800 lb. capacity. Overall height for all carts is 40".



W" x L"	WIRE Model No.	SOLID Model No.
18 x 36	SC18363	SC1836SZ
18 x 48	SC18483	SC1848SZ
18 x 60	SC18603	SC1860SZ
18 x 72	SC18723	SC1872SZ
24 x 36	SC24363	SC2436SZ
24 x 48	SC24483	SC2448SZ
24 x 60	SC24603	SC2460SZ
24 x 72	SC24723	SC2472SZ

## Solid Plastic Shelf Utility Carts

Solid Shelf Cart consists of 2 chrome plated handles, 2 or 3 solid plastic shelves and a choice of rubber or polyurethane swivel casters, 2 with brake. Solid plastic shelves are made of durable, rust and stain resistant plastic, that cleans with ease. Raised lip, along edge of shelf, prevents spills from overflowing. Overall height 39". 800 lb. capacity.

### SOLID SHELF UTILITY CART - 2 SHELF

W" x L"	Rubber Wheel Caster Model No.	Polyurethane Wheel Caster Model No.
18 x 36	1836R2SP	1836P2SP
24 x 48	2448R2SP	2448P2SP

### SOLID SHELF UTILITY CART - 3 SHELF

W" x L"	Rubber Wheel Caster Model No.	Polyurethane Wheel Caster Model No.
18 x 36	1836R3SP	1836P3SP
24 x 48	2448R3SP	2448P3SP



## Stainless Steel Utility Cart

### 400 lb. capacity

Ideal for use in clean rooms, restaurants and other corrosive environments. Premium 304 polished stainless steel throughout, with 20 gauge shelves and strong 16 gauge shelf uprights for years of service. 24"L x 15"W x 33"H with 12" clearance between shelves. Top and middle shelves have 1 1/4" lips on 3 sides to help retain cargo during transit, while flush lower shelf is ideal for oversized items. Comfortable tubular push handle. Rolls smoothly on four 4" swivel non-marring rubber casters, 2 with brakes.

Model No. **SSC1524**





# HAND TRUCKS



## Aluminum Two-In-One Hand truck with Aluminum Noseplate

Converts in an instant from a standard hand truck to a useful platform truck. Convenient spring loaded auto-lock release bar offers simple conversion. High strength, lightweight aluminum frame and large 18" x 9" beveled noseplate with integral wheelguards to protect load. Anti-Slip foam grip handle provides safety and comfort. Hand truck position has 500 lb. capacity and is 62"H. Platform position offers 800 lb. capacity and is 56"L x 12"W x 45"H with 11 1/2" deck height. 10" x 3 1/2" full pneumatic wheels and 5" x 1 1/4" rubber swivel casters offer smooth rolling in any environment. **Weighs just 48 lbs.!**

Model No.	Description
ALHT501	Aluminum 2 in 1 Hand Truck
ASND	Aluminum Snap On Deck
CSND	Carpeted Aluminum Snap On Deck

### Replacement Parts:

Model No.	Description
CA5HTR	Set of (2) 5" Swivel Casters
RNP18	Noseplate
CA10HTN	Set of (2) 10" pneumatic wheels and axle kit



HAND TRUCK POSITION



PLATFORM TRUCK POSITION

## Folding Hand Cart



FOLDS  
FLAT TO  
2 1/2"

**275 lb.  
capacity**



Model No. **FHT200**

Lightweight aluminum tube frame cart is strong enough for heavy loads, **yet weighs only 12 lbs.** Simple push button operation and telescopic handle retracts wheels and folds noseplate automatically in seconds. Large 19"W x 13"D cast aluminum noseplate carries bulky items easily. Comfortable anti-slip foam grip on handle. 7" x 1 1/2" non-marring shock absorbent rubber wheels for smooth rolling. 19"W x 42 1/2"H overall; 31" H when folded.

## Economy Hand Truck

**Hand Truck** has an easy to handle design and accepts loads up to 600 lbs. 20" x 7" nose plate helps keep materials stable during move. Rugged 1 1/4" dia. tubular steel frame double welded at critical stress points for a lifetime of service. 52" H x 22"W. Durable enamel finish resists rust and scratches. Pneumatic wheels 10" x 3 1/2". Protective vinyl wear guards included. Limited 5 Year Frame Warranty.

Model No. **HT600**






# PLATFORM TRUCKS

## Steel Deck Truck

All welded heavy duty 14 gauge steel decks, reinforced with internal longitudinal stiffening members for extra strength. **Non-marring integral corner bumpers protect walls.** Removable pipe handle. Bolt-on casters are double ball race, two swivel and two rigid. Durable baked gray enamel finish. 5" dia. wheels offer 7 1/2" deck height, 6" dia. have 8 1/2" height and 8" dia. have 10 3/4" height.

5" x 1 1/4" wheels Polyurethane 1000 lb. cap. Model No.	5" x 1 1/2" wheels Rubber Tired 1400 lb. cap. Model No.	6" x 2 wheels Rubber Tired 2000 lb. cap. Model No.	8" x 2" wheels Rubber Tired 2400 lb. cap. Model No.	8" x 2 1/2" wheels Pneumatic 1200 lb. cap. Model No.
W" x L"	Model No.	Model No.	Model No.	Model No.
24 x 36	SD2436P5	SD2436R5	SD2436R6	SD2436N8
24 x 48	SD2448P5	SD2448R5	SD2448R6	SD2448N8
30 x 48	SD3048P5	SD3048R5	SD3048R6	SD3048N8
30 x 60	SD3060P5	SD3060R5	SD3060R6	SD3060N8
36 x 72	SD3672P5	SD3672R5	SD3672R6	SD3672N8



## Folding Utility Platform Truck

Comfortable 32"H handle. Handle folds down flat for compact storage. Protective vinyl bumpers.

Model No.	Platform Size W" x L"	Capacity lbs.	Caster Type
<b>TELESCOPING ALUMINUM DECK</b> TFP300	16 x 28	300	4" Rubber
<b>SOLID STEEL DECK</b> FP300	19 x 29	300	4" Rubber
FP600	23 x 35	600	5" Rubber
FP600N	23 x 35	600	8" Pneumatic



## Plastic Platform Truck

Rugged injection molded polypropylene platform is corrosion resistant and easily cleaned. Underside of platform is ribbed for extra strength to help absorb impact. Offset epoxy coated handle and 2 swivel and 2 rigid casters help to ease transport of materials.

W" x L"	Capacity	Model No.	ADDITIONAL HANDLE Model No.
24 x 36	1000	PPT3624	H3624
25 x 52	2000	PPT5225	H5225

## Nest-Away Folding Truck

Strong 16 gauge tubular steel frame folds and nests for space saving storage. 42" x 30" bottom shelf folds up and right side folds in forming an "L" shape for easy, compact storage. Large 6" x 2" mold-on rubber casters, 2-swivel, 2 rigid. 1200 lb. capacity. **Optional Shelf** is 42"W x 30"D, has a 1000 lb. capacity and hangs onto welded cross members on truck frame. Add up to 3 additional shelves. Gray enamel finish. 43"W x 32"D x 67"H overall.

	Model No.	NTF1200
OPTIONAL SHELF	Model No.	NTFS1000



OPTIONAL SHELF

## Panel And Lumber Truck

Transport plywood, drywall, lumber, pipe and other long, bulky products with ease. Removable 13/16" dia. steel pipe uprights are 24" and 34" high and offer (2) 7"W and (1) 10"W bays to help keep the oversized cargo stable. Strong 60"L x 30"W 14 gauge channel reinforced steel deck with welded upright sockets for maximum durability. Rolls easily on 2 swivel, 2 rigid casters. 6" wheels offer 91/2" deck height while 8" wheels offer 111/2" height. Scratch resistant enamel finish. Assembles easily. Optional 1/2" thick Carpeted Plywood Deck helps protect cargo, offers quieter transport. Specify Carpeted Deck suffix (C) to model no.

2000 lb. cap. Mold-On Rubber 6" x 2" Wheels Model No.	2400 lb. cap. Mold-On Rubber 8" x 2" Wheels Model No.	1200 lb. cap. Full Pneumatic 6" x 2 1/2" Wheels Model No.
LT30606R	LT30608R	LT3060N

**60"L x 30"W Deck**  
**2400 lb. capacity**



OPTIONAL CARPETED DECK



## Adjustable Panel Truck

**Upright Pipe Frames** adjust to allow different sizes to be separated for easy access, while keeping materials upright. Upright Pipe Frames adjust on 3 1/2" increments. (**Upright frames sold separately**) 24"W truck has 7 sockets, 30"W truck has 9 sockets. Truck platform has a 1 1/2" x 1/2" thick protective wrap-around angle iron frame with rounded safety edges. Rugged 3/4" thick plywood deck has a durable lacquer finish. Choose from 3 caster types. All available with 2 swivel, 2 rigid casters. Durable blue enamel finish.

W" x L"	6" x 2" wheels Mold-on Rubber 2000 lb. cap. Model No.	8" x 2" wheels Mold-on Rubber 2400 lb. cap. Model No.	8" x 2.5 wheels Pneumatic 1200 lb. cap. Model No.
24 x 48	PT2448P	PT2448R	PT2448N
30 x 60	PT3060P	PT3060R	PT3060N

UPRIGHT FRAMES (Sold in Pairs)	
H" x L"	Model No.
12 x 48	UF1248
26 x 48	UF2648
38 x 48	UF3848
12 x 60	UF1260
26 x 60	UF2660
38 x 60	UF3860







# LOCKERS

## Capital Steel Lockers



Model  
CS151AST



Model  
CS186AST



FIVE KNUCKLE  
HINGES WITH  
LAPPED AND  
WELDED STEEL  
DOOR FRAME



COAT  
ROD



HAT  
SHELF  
AND  
COAT  
HOOKS



CATCH-  
FREE  
RECESSED  
HANDLE

Our Capital lockers provide performance and reliability. Reinforced, welded frame-and-door assemblies ensure maximum security. Doors are styled with a catch-free recessed handle and padlockable friction hasp for quiet operation and ventilated with 2 sets of louvers. Durable powder coat finish resists wear and scratches for years of attractive service. Legs add 6" to height. Includes blank number plates. Optional locks, numbered plate kits and bases sold separately. Choose from tan or gray and assembled or ready-to-assemble styles. **Single Tier** lockers include a hat shelf and double and single-prong coat hooks (the 18" deep model also includes coat rod). **Double Tier** lockers include double and single-prong coat hooks. **Assembled lockers are not returnable.**

Opening W" x D" x H"	Overall Width"	Doors	Wt.	READY TO ASSEMBLE Model	ASSEMBLED Model
<b>Single Tier</b>					
12 x 15 x 72	12	1	50	CS151KD	CS151AS
12 x 15 x 72	36	3	147	CS153KD	CS153AS
12 x 18 x 72	12	1	53	CS181KD	CS181AS
12 x 18 x 72	36	3	162	CS183KD	CS183AS
<b>Double Tier</b>					
12 x 15 x 36	12	2	52	CS152KD	CS152AS
12 x 15 x 36	36	6	149	CS156KD	CS156AS
12 x 18 x 36	12	2	55	CS182KD	CS182AS
12 x 18 x 36	36	6	162	CS186KD	CS186AS

Specify color suffix Gray (G) or Tan (T)



Model  
CS153ASG

### Accessories

#### CLOSED BASES

Encloses the area between the locker legs for a clean appearance and easier maintenance. Order by locker width and depth. Available in tan or gray.



Model	Description
FB12	12"W Front Base
EB15	15"D End Base
EB18	18"D End Base

Specify color suffix Gray (G) or Tan (T)



#### SLOPE TOP KITS

Up to 3 lockers wide. Includes 3 tops, 2 sides and 3 backs

Model	Opening Width"	Depth"
ST1212	12	12
ST1215	12	15
ST1218	12	18
ST1518	15	18

Specify color suffix Gray (G) or Tan (T)

#### NUMBERED PLATE KITS


Numbered aluminum plates. Includes rivets. Model NPK100 includes rivet gun.



Model	Description
NPK100	Numbered 1-100
NPK200	Numbered 101-299
NPK300	Numbered 300-499

#### LOCKS

Available in 2 styles: Built in Combination Lock includes a preset combination.



Mode	Description
BCL1930	Built-in Combo Lock Six tier
BCL1931	Built-in Combo Lock Single/Double/Triple tier

# LOCKERS



## Paramount Steel Lockers



Model  
P6128ASB



Model  
P122AST

Model  
PT123AST



CHROME  
DOOR  
LATCH FOR  
SMOOTH  
FINGERTIP  
OPENING

Model  
PS1536AG

SHOWN WITH OPTIONAL  
CLOSED BASE

The Paramount series lockers feature 16 gauge steel doors, 5-knuckle security hinges, quiet operating latch mechanism, and welded, reinforced frame-and-door assemblies for maximum security. Extra wide louvers promote ventilation. Legs add 6" to height. Durable, attractive powder coat finish is available in the 3 most popular locker colors: blue, tan and gray. Includes blank number plates. Lockers feature finished sides; no need for decorative end panels. Optional locks, numbered plate kits and bases sold separately. **Assembled lockers are not returnable.**

**Single Tier** lockers have secure 3-point positive locking system, hat shelf, chrome door latch and double and single-prong coat hooks (18" deep model also includes coat rod).

**Double Tier & Triple Tier** lockers have secure 2-point positive locking system, chrome door latch and double and single prong coat hooks. **Six Tier** Lockers feature padlockable friction latch and hasp closures.

**Sixteen Person** lockers featured the same as **six tier** and are arranged around a central coat rod. Each compartment is 12"W x 18"D x 12"H.

### Paramount Premium Lockers

Opening W" x D" x H"	Overall Width"	Doors	Wt.	READY TO ASSEMBLE Model*	ASSEMBLED Model
<b>Single Tier</b>					
12 x 12 x 60	12	1	43	PS1216K	PS1216A
12 x 12 x 60	36	3	133	PS1236K	PS1236A
12 x 15 x 60	12	1	47	PS1516K	PS1516A
12 x 15 x 60	36	3	140	PS1536K	PS1536A
12 x 18 x 60	12	1	52	PS1816K	PS1816A
12 x 18 x 60	36	3	154	PS1836K	PS1836A
12 x 12 x 72	12	1	46	PS1217K	PS1217A
12 x 12 x 72	36	3	144	PS1237K	PS1237A
12 x 18 x 72	12	1	55	PS1517K	PS1517A
12 x 18 x 72	36	3	167	PS1537K	PS1537A
15 x 18 x 72	15	1	66	PS1817K	PS1817A
15 x 18 x 72	45	3	181	PS1837K	PS1837A
<b>Double Tier</b>					
12 x 12 x 36	12	2	51	PD122KD	PD122AS
12 x 12 x 36	36	6	153	PD126KD	PD126AS
12 x 15 x 36	12	2	55	PD152KD	PD152AS
12 x 15 x 36	36	6	159	PD156KD	PD156AS
12 x 18 x 36	12	2	58	PD182KD	PD182AS
12 x 18 x 36	36	6	172	PD186KD	PD186AS
<b>Triple Tier</b>					
12 x 15 x 24	12	3	56	PT123KD	PT123AS
12 x 15 x 24	36	9	161	PT129KD	PT129AS
<b>Six Tier</b>					
12 x 12 x 12	12	6	54	P6126KD	P6126AS
12 x 12 x 12	36	18	161	P6128KD	P6128AS
12 x 15 x 12	12	6	65	P6156KD	P6156AS
12 x 15 x 12	36	18	175	P6158KD	P6158AS
<b>Sixteen Person</b>					
12 x 18 x 12	69	16	168	P61816KD	P61816AS*

\*All models: specify color suffix Blue (B), Gray (G) or Tan (T)



Model  
P61816AST

\*Ships partially  
assembled

Food Service • Health



**SUPERIOR**  
SHELVING SYSTEMS

45





# SECURITY UNITS

## Wire Security Shelving & Trucks

Look to **NEXEL** for a safer and more secure way to store valuable equipment and inventory. Open 2" square grid mesh ensures high visibility, while lockable double door (opens a full 270°) keeps contents protected. Security units feature adjustable levelers and assemble easily. Available in Chrome and Poly-Z-Brite. All units are 66" high with top and bottom shelf.

**NOTE:** Available accessories include: Shelf Dividers, Foot Plates, and Tray Slide Inserts

<b>POLY-Z-BRITE*</b>		Optional EZ Adjust Interior Shelf	Optional Standard Interior Shelf
W" x L"	Model No.	Model No.	Model No.
24 x 36	<b>SU2436Z</b>	<b>S2436AZ</b>	<b>S2436Z</b>
24 x 48	<b>SU2448Z</b>	<b>S2448AZ</b>	<b>S2448Z</b>
24 x 60	<b>SU2460Z</b>	<b>S2460AZ</b>	<b>S2460Z</b>

<b>CHROME</b>		Optional EZ Adjust Interior Shelf	Optional Standard Interior Shelf
W" x L"	Model No.	Model No.	Model No.
18 x 36	<b>SU1836C</b>	<b>S1836AC</b>	<b>S1836C</b>
18 x 48	<b>SU1848C</b>	<b>S1848AC</b>	<b>S1848C</b>
24 x 36	<b>SU2436C</b>	<b>S2436AC</b>	<b>S2436C</b>
24 x 48	<b>SU2448C</b>	<b>S2448AC</b>	<b>S2448C</b>
24 x 60	<b>SU2460C</b>	<b>S2460AC</b>	<b>S2460C</b>

Shown with one optional shelf

## Fold-Up Security Truck


\*Protected by NEX**Gard**

Help protect inventory from theft and damage with this completely enclosed truck. Open construction reduces dust accumulation and increases visibility. Fold to 6" for compact storage. Heavy gauge 1" x 2" wire mesh. 1" square tubing covered with 20 ga. sheet metal. Solid center shelf divides truck into two 34"H compartments and increases strength of unit. 2 rigid and 2 swivel 6" x 2" molded on rubber wheel casters increase mobility. 44 1/2" x 27" x 76"H. 2000 lb. capacity. Padlockable. Gray epoxy finished. Ships assembled.

Model No. **STF2000**



FOLDS TO 6"







MODEL STS2448C SHOWN WITH  
1 OPTIONAL INTERIOR SHELF  
AND DOCUMENT HOLDER  
WITH OPTIONAL BRAKE CASTERS

**STANDARD UNIT** - Features stem casters with 3" donut bumpers.




MODEL STH2448C SHOWN WITH  
2 OPTIONAL INTERIOR SHELVES

**HEAVY DUTY UNIT** -  
Features rugged dolly  
base platform with plate  
casters and corner  
bumpers.

These **Security Trucks** feature the same quality construction as the stationary security units on the previous page. Keep valuable items such as meats, liquor, silver, pharmaceuticals, syringes and expensive tools secure and at the same time be able to transport them throughout your facility. Lockable doors prevent items from falling out of truck while in transit. Standard duty comes with 5" polyurethane swivel casters. Heavy duty comes with 6" molded rubber casters and Dolly Base. Compact size makes it ideal for permanent inventory storage. 69"H. Available in Chrome and Poly-Z-Brite finish.

SECURITY TRUCKS			POLY-BRITE *	
W" x L"	Style	Capacity lb.	Model No.	Model No.
18 x 36	Standard	1200	---	STS1836C
18 x 36	Heavy Duty	1600	---	STH1836C
18 x 48	Standard	1200	---	STS1848C
18 x 48	Heavy Duty	1600	---	STH1848C
24 x 36	Standard	1200	STS2436Z	STS2436C
24 x 36	Heavy Duty	1600	STH2436Z	STH2436C
24 x 48	Standard	1200	STS2448Z	STS2448C
24 x 48	Heavy Duty	1600	STH2448Z	STH2448C
24 x 60	Standard	1200	STS2460Z	STS2460C
24 x 60	Heavy Duty	1600	STH2460Z	STH2460C

OPTIONAL INTERIOR SHELVES				
POLY-BRITE *			CHROME	
W" x L"	EZ Adjust Model No.	Standard Model No.	EZ Adjust Model No.	Standard Model No.
18 x 36	---	---	S1836AC	S1836C
18 x 48	---	---	S1848AC	S1848C
24 x 36	S2436AZ	S2436Z	S2436AC	S2436C
24 x 48	S2448AZ	S2448Z	S2448AC	S2448C
24 x 60	S2460AZ	S2460Z	S2460AC	S2460C



Optional **E-Z Adjust Shelves** allow for shelf adjustment, removal or addition without disassembling the entire unit. Just lift off shelf and reposition to desired height.





# BIN RACKS & PANELS



**SINGLE-SIDED FLOOR RACK -**  
36"W x 50"H x 13 1/2"D

Model No. **FBR36501**



**DOUBLE-SIDED MOBILE CART**  
- 36"W x 54"H x 25 1/2"D

Model No. **MBR36501**

## Hi-Capacity Bin Racks

Organize, transport and store parts, components and hardware with maximum efficiency. Heavy duty 16 gauge steel louvered bin rack provides easy removal of polypropylene bins. Double-Sided Mobile Cart comes with 3" rubber wheel casters with 500 lb. capacity. Gray enamel finish. Order Bins separately.



**BENCH RACK - 36"W x 20"H x 9"D**

Model No. **BBR3620**



PANELS ONLY (Sold 4 per carton)			
W" x H"		Model No.	
18 x 19		WP18	
36 x 19		WP36	
BINS ONLY			
Capacity per panel size			
W" x L" x H"	36"W	18"W	Model No.
4 1/8 x 5 1/2 x 3	32	16	PB45
4 1/8 x 7 1/2 x 3	32	16	PB47
5 1/2 x 11 x 5	18	9	PB511
11 x 11 x 5	9	3	PB1111
8 1/4 x 11 x 7	8	4	PB811
8 1/4 x 14 3/4 x 7	8	4	PB814
16 1/2 x 14 3/4 x 7	4	2	PB1614

Bins have hopper fronts for instant access and label area for inventory control.  
Add suffix (Y) Yellow, (B) Blue.

## Wall Panel

**Save Space...  
Increase Efficiency**

Mount easily on wall or shelving...attach to carts, benches, inside cabinets, slotted angle or to service truck interior. Bins may be moved or rearranged in unlimited configurations with no adjustment to panel. 16 gauge steel with gray enamel finish. Sold 4 per carton.

## Wire Shelf Bin Storage



Provides high capacity, easy access storage for parts and supplies. Organize and identify stored items quickly and conveniently. MOBILE UNIT has 5" x 1 1/4" polyurethane swivel casters. Includes 7 shelves and stackable plastic bins, with hopper fronts. Chrome finish. Add suffix (Y) Yellow and (B) Blue.

W" x L"	Stationary Unit	Mobile Unit	Bins (amount per unit)	
	54" High Model No.	60" High Model No.	12"D	18"D
14 x 36	<b>1436SBS</b>	<b>1436MBS</b>	30	---
18 x 36	<b>1836SBS</b>	<b>1836MBS</b>	---	30
24 x 36	<b>2436SBS</b>	<b>2436MBS</b>	60	---
36 x 36	<b>3636SBS</b>	<b>3636MBS</b>	---	60
14 x 48	<b>1448SBS</b>	<b>1448MBS</b>	42	---
18 x 48	<b>1848SBS</b>	<b>1848MBS</b>	---	42
24 x 48	<b>2448SBS</b>	<b>2448MBS</b>	84	---
36 x 48	<b>3648SBS</b>	<b>3648MBS</b>	---	84

EXTRA BINS	
W" x L" x H"	Model No.
4 x 6 x 12	<b>SB4612</b>
4 x 6 x 18	<b>SB4618</b>

Add Suffix Yellow (Y) or Blue (B).



# TOTE BOXES & BINS



## Stackable Plastic Bin

Use throughout your facility to keep, small inventory items organized, and easily accessible. Stackable for compact storage. Heavy duty injection molded polypropylene construction features reinforced walls for rigidity. Water, rust and corrosion resistant. Bins come in a choice of colors. Add suffix (Y) Yellow, (B) Blue.

W" x D" x H"			Carton Quantity	Model No.	Transparent Cover Model No.	Divider Model No.
4 1/8 x 4 1/2 x 3			48	PB44	---	---
4 1/8 x 5 1/2 x 3			48	PB45	TC45	PD45
4 1/8 x 7 1/2 x 3			24	PB47	TC47	PD47
5 1/2 x 11 x 5			12	PB511	TC511	PD511
11 x 11 x 5			6	PB1111*	---	PD511
8 1/4 x 11 x 7			6	PB811*	---	PD811
8 1/4 x 14 3/4 x 7			12	PB814*	---	PD814
16 1/2 x 14 3/4 x 7			6	PB1614*	---	PD1614

\* Accommodates 3 Dividers


- WIDE LEDGE ENSURES STACKING STABILITY
- EXTRA LARGE LABEL AREA
- FINGER GRIPS ENSURE SAFE HANDLING



W" x D" x H"	Carton Quantity	Model No.
2 x 3 1/4 x 3	50	MB32
2 x 5 1/4 x 3	50	MB53
4 x 2 x 4	50	MB42

## Mini-Bin

Fits inside larger bins to create small compartments. Simplifies parts storage, removal and assembly. Yellow only.



BOXES		DIVIDERS			
W" x D" x H"	Model No.	Short Model No.	Qty.	Long Model No.	Qty.
11 x 8 x 2 1/2	TB112	TB112S	7	TB112L	5
11 x 8 x 3 1/2	TB113	TB113S	7	TB113L	5
11 x 8 x 4 1/2	TB114	TB114S	7	TB114L	5
11 x 8 x 5	TB115	TB115S	7	TB115L	5
16 x 11 x 1 3/4	TB161	TB161S	11	TB161L	7
16 x 11 x 2 1/2	TB162	TB162S	11	TB162L	7
16 x 11 x 3 1/2	TB163	TB163S	11	TB163L	7
16 x 11 x 4 1/2	TB164	TB164S	11	TB164L	7
16 x 11 x 5	TB165	TB165S	11	TB165L	7
16 x 11 x 6	TB166	TB166S	11	TB166L	7
16 x 11 x 7	TB167	TB167S	11	TB167L	7
16 x 11 x 8	TB168	TB168S	11	TB168L	7
24 x 11 x 2 1/2	TB242	TB242S	17	TB242L	7
24 x 11 x 3 1/2	TB243	TB243S	17	TB243L	7
24 x 11 x 4 1/4	TB244	TB244S	17	TB244L	7
24 x 11 x 5	TB245	TB245S	17	TB245L	7
24 x 11 x 6	TB246	TB246S	17	TB246L	7
24 x 11 x 7	TB247	TB247S	17	TB247L	7
24 x 11 x 8	TB248	TB248S	17	TB248L	7
22 x 17 x 3 1/2	TB223	TB223S	15	TB223L	11
22 x 17 x 4 1/4	TB224	TB224S	15	TB224L	11
22 x 17 x 5	TB225	TB225S	15	TB225L	11
22 x 17 x 6	TB226	TB226S	15	TB226L	11
22 x 17 x 7	TB227	TB227S	15	TB227L	11
22 x 17 x 8	TB228	TB228S	15	TB228L	11
22 x 17 x 9	TB229	TB229S	15	TB229L	11
22 x 17 x 10	TB2210	TB2210S	15	TB2210L	11
22 x 17 x 11	TB2211	TB2211S	15	TB2211L	11
22 x 17 x 12	TB2212	TB2212S	15	TB2212L	11
22 x 17 x 13	TB2213	TB2213S	15	TB2213L	11
22 x 17 x 14	TB2214	TB2214S	15	TB2214L	11

## Dividable Modu-Box

Maximize storage space with these dividable, stackable heavy duty boxes. Constructed of ribbed, injection molded gray polyethylene for strength and rigidity. Easy to clean. Optional Dividers fit in molded-in grooves, on 1 1/4" centers. Optional Lids are made of clear plastic allowing contents to remain secure and visible for inventory control.



COVERS		COVERS	
L" x W"	Model	L" x W"	Model
11 x 8	TL11	24 x 11	TL22
16 x 11	TL16	22 x 17	TL24





## CARRIER MODUBOX/PACKING WORKSTATION



### ModuBox Parts Carrier

ModuBox Parts Carrier features adjustable slides for easy box access. Boxes slide in and out for maximum access and storage. Slides adjust on one inch increments. Chrome finish. 1,200 lb. capacity. Polyurethane casters, two with brake.

Size"	Model No.	Levels
21 x 24 x48	<a href="#">21243CP4</a>	4
21 x 24 x69	<a href="#">21246CP7</a>	7
Extra Slides	<a href="#">24BSC</a>	---
Extra ModuBoxes	<a href="#">TB226</a>	---



### Packaging Workstation With Plastic Laminate Top

The large 72"L x 30"W x 1<sup>5</sup>/<sub>8</sub>" thick plastic laminate work surface provides ample work space. The large lower shelf is 60"L x 24"W and provides additional storage space. Mounted above the work surface are two 60"L adjustable shelves. The first shelf is 14"W and is shown with optional dividers and ledges to organize packing supplies. The second shelf is 18"W and provides additional storage space and a location to mount an Overhead Light. The Tape Holder/Corrugated Roll Holder option allows for a roll of corrugated paper to be suspended beneath the work surface. The Tape Holder allows multiple rows of tape to be mounted at the back of the work surface. Carton Dividers keep cartons neat and organized. Chrome finish.

Description	Model No.
Packaging Bench-72"L x 32"W x 74"H	<a href="#">PB7232</a>

#### ACCESSORIES

Description	Model No.
Tape Holder and Corrugated Roll Holder	<a href="#">ACRH</a>
6 Outlet Power Center	<a href="#">APC6</a>
Document Holder	<a href="#">AH</a>
Divider - 8" x 14"	<a href="#">AD814C</a>
Divider - 8" x 18"	<a href="#">AD818C</a>
Ledge - 4" x 48"	<a href="#">AL448C</a>
Carton Dividers 25" (set of 3)	<a href="#">CSD3</a>
48" Overhead light Kit	<a href="#">ADLK</a>

NOTE: ALL OTHER ITEMS AND ACCESSORIES ARE NOT INCLUDED





# WORK CENTER & ACCESSORIES



## Work Centers

Combine the storage capacity of a 24" x 48" reinforced adjustable wire shelf with a spacious 30" x 60" or 30" x 72" work surface and you have this multi-purpose **WORK CENTER**. Solid work surface makes food preparation, repairs, assembly and product handling easy.

**WORK CENTER** - Two shelves prevent dust accumulation and maximize visibility. Durable and rust resistant chrome finish. Adjustable floor levelers ensure an even work surface.

W" x L" x H"	1 3/4" Maple Butcher Block Top	1 1/4" Plastic Top
30 x 60 x 34	<b>B3060M</b>	<b>B3060P</b>
30 x 72 x 34	<b>B3072M</b>	<b>B3072P</b>

Extra Shelves: Model No. **S2448C**

**MOBILE WORKBENCH** - Features a durable work surface, a 24" x 48" shelf and 5" rubber wheel locking swivel casters that increase versatility. Load capacity: 600 lbs.

W" x L" x H"	1 3/4" Maple Butcher Block Top	1 1/4" Plastic Top
30 x 60 x 40	<b>MB3060M</b>	<b>MB3060P</b>
30 x 72 x 40	<b>MB3072M</b>	<b>MB3072P</b>

Extra Shelves: Model No. **S2448C**



### CHOOSING A TOP

**Maple Butcher Block** - This is a great all-purpose top that can handle extreme surface abuse. First it is kiln dried, and the edge is grain laminated for strength. Next it is glued, electronically cured and sanded smooth. Lastly, the maple is finished with a penetrating oil and sealed in a high quality catalyzed varnish.

**Plastic Laminate** - Super-strong and easy to clean. High pressure plastic laminate-faced wood core can handle heavy abuse and provides smooth, tough working surface for many applications. A cost effective choice.

TOPS ONLY W" x L"	1 3/4" Maple Butcher Block Top	1 1/4" Plastic Top
30 x 60	<b>BTM630</b>	<b>BTP630</b>
30 x 72	<b>BTM730</b>	<b>BTP730</b>

## Work Bench Accessories

Both leg styles are 13 gauge and feature double electrical knock outs, front and back. Legs are punched for tops, stringers and shelf attachment. Legs sold individually.


LOWER SHELF - With 2" Back Stop L" x W"	Model No.
60 x 15	<b>BS6015</b>
72 x 15	<b>BS7215</b>

STRINGER - for all tops except steel Length"	Model No.
60	<b>BS60</b>
72	<b>BS72</b>

ADJUSTABLE LEGS		
Adjusts on 1 1/2" increments		
W"	Height"	Model No.
30	27 5/8-35 5/8	<b>AL30</b>
36	27 5/8-35 5/8	<b>AL36</b>
FIXED LEGS		
30	28	<b>FL3028</b>
36	28	<b>FL3628</b>
30	32	<b>FL3032</b>
36	32	<b>FL3632</b>

**Note:** Mounting hardware not included with legs.

## Legs





# BENCH TOPS

Choose Square Edge or Ergonomic *Safety Edge* Bench Tops\*

## MAPLE



Maple Butcher block is kiln dried, glued electronically, cured and sanded smooth. Finished with a penetrating mineral oil protectant. Available in two styles, standard 1 3/4" or extra strong 2 1/4" thick. You can't buy a better all-purpose top.

L" x W"	1 3/4" thick Model No.	2 1/4" thick Model No.
60 x 30	<b>BTM630</b>	<b>BTM630HD</b>
72 x 30	<b>BTM730</b>	<b>BTM730HD</b>
72 x 36	<b>BTM736</b>	<b>BTM736HD</b>


## MAPLE SAFETY EDGE



Solid maple strips glued together and electronically cured. The top is kiln dried, sanded smooth and finished with a penetrating oil protectant. Rounded front safety edge protects workers from leaning against sharp edges. 1 3/4" thick.

L" x W"	Model No.
60 x 30	<b>BTM630S</b>
72 x 30	<b>BTM730S</b>
72 x 36	<b>BTM736S</b>


## PLASTIC



Super-strong, easy to clean, high pressure, light gray plastic laminate-faced wood core takes heavy abuse, provides smooth, tough working surface for many applications. 1 5/8" thick.

L" x W"	Model No.
60 x 30	<b>BTP630HD</b>
72 x 30	<b>BTP730HD</b>
72 x 36	<b>BTP736HD</b>


## PHENOLIC RESIN



Chemical resistant bench tops are great for use in laboratories. Made of 1" thick black phenolic resin that withstands moisture and resists chemicals. Impact resistant for superior strength. Rounded front Safety Edge.

L" x W"	Model No.
60 x 30	<b>BTR630</b>
72 x 30	<b>BTR730</b>
72 x 36	<b>BTR736</b>


## SHOP TOP SAFETY EDGE



Clear lumber edge bands are faced on two sides with 3/8" thick super hard 62 lb. density custom resin board for liquid resistance. Available in two thicknesses, 1 3/4" which has a particle board core, or 2 1/4" thick with a solid hardwood core for extra durability. Both tops come with a rounded safety front edge.

L" x W"	1 3/4" thick Model No.	2 1/4" thick Model No.
60 x 30	<b>BTS630</b>	<b>BTS630HD</b>
72 x 30	<b>BTS730</b>	<b>BTS730HD</b>
72 x 36	<b>BTS736</b>	<b>BTS736HD</b>

## PLASTIC SAFETY EDGE



High pressure, light gray plastic laminate work surface over a particle board core. Rounded front safety edge helps to provide more comfort for the worker. Plastic work surface is easy to clean and durable for most applications. 1 5/8" thick.


L" x W"	Model No.
60 x 30	<b>BTP630S</b>
72 x 30	<b>BTP730S</b>
72 x 36	<b>BTP736S</b>

## ASH SAFETY EDGE



Ash Butcher Block top is kiln dried, sanded smooth and finished with a penetrating oil protectant. A heavy duty, good-looking top at an affordable price. 1 3/4" thick top has rounded front safety edge to protect workers.


## STEEL



Steel 12 gauge top won't crack or buckle. Top has heavy duty flanged construction and comes with stringer to connect bench legs.

L" x W"	Model No.
60 x 30	<b>BTST630</b>
72 x 30	<b>BTST730</b>
72 x 36	<b>BTST736</b>


## ANTI-STATIC



Prevents damage to sensitive electronic circuitry during assembly. White plastic top dissipates 5000 volts of static electricity in .01 seconds. Cleans easily. Complies MIL-B817058 and 101B, Method 4046, 1 1/4" thick.

L" x W"	SQUARE EDGE Model No.	SAFETY EDGE Model No.
60 x 30	<b>BTA630</b>	<b>BTA630S</b>
72 x 30	<b>BTA730</b>	<b>BTA730S</b>
72 x 36	<b>BTA736</b>	<b>BTA736S</b>

\*Mounting hardware not included





## Heavy Duty Lan Station



SHOWN WITH  
OPTIONAL  
ACCESSORIES

OPTIONAL CASTER BASE  
PROVIDES MOBILITY

Our Heavy-Duty LAN Stations accommodate any LAN environment - no matter how many monitors, servers or printers you have. **16 gauge steel-reinforced stations** feature a 30"D, 29"H, 11/8" thick plastic laminate work surface to handle even the largest monitors, leaving plenty of workspace. **Includes Two 18"D upper shelves** that are height adjustable on 2" increments. 27"D lower shelf is ideal for housing multiple servers. All shelves are 3/4" thick plastic laminate. 24" upper shelves support up to 235 lbs. each, 48"-72" up to 350 lbs. each and up to 500 lbs. each for the 96". Each unit offers triple-leg support (dual leg on 24" unit) with four lateral braces for added stability. **Now includes two Vertical Cable Management Channels** that attach to any leg to neatly organize and keep all cables out of the way. Add caster base with 3" swivel casters for easy office mobility. Optional **LCD Tracks** are height adjustable on 2" increments to securely mount flat panel monitors to LAN station at the ideal viewing height. Includes 2 monitor mounts that swivel 180 degrees. Additional mounts sold separately. Gray powder coat finish. Assembles easily.

### LAN STATION

W" x D" x H"	Model No.	W" x D" x H"	Model No.
24 x 30 x 74	LS24	72 x 30 x 74	LS72
48 x 30 x 74	LS30	96 x 30 x 74	LS96

Description	Model No.
24" Caster Base	CB24
48" Caster Base	CB48
72" Caster Base	CB72
96" Caster Base	CB96
LCD Track for 24" LAN	LCD24
LCD Track for 48" LAN	LCD48
LCD Track for 72" LAN	LCD72
LCD Track for 96" LAN	LCD96
Additional Monitor Mount	AMM
24"W Additional Shelf (set of 2)	AS24
48"W Additional Shelf	AS48
72"W Additional Shelf	AS72
96"W Additional Shelf	AS96
Wire Keyboard Holder	AKH
48"-16" Outlet Power Strip, 15amp, 15' Cord	AES16



**Keyboard Tray with wrist rest and Mouse Tray.** Mounts below the work surface. Both adjust up to 5 3/4", tilts ± 15° and swivels 360°. Slides out of the way when not in use. Mouse Tray can be mounted for left or right hand users.

Description	Model No.
Keyboard Tray	AKDW
Mouse Tray	AMT



**Wire Keyboard Holder.** Supports your keyboard on top shelves for easy viewing. Attaches to bottom of shelf.

Model No.	AKH
-----------	-----

## Wire Lan Workstations

Designed to support and consolidate all your Local Area Network (LAN) equipment. This extra strong Workstation features an extra-deep 30", gray laminated work surface to accommodate all your networked computer space needs. Comes complete with four posts and three 18"D wire shelves. 74" high overall. Optional accessories include keyboard drawer, shelf ledges, shelf dividers and document holder. Chrome finish.



**60"W LAN STATION WITH OPTIONAL KEYBOARD DRAWER, MOUSE TRAY, SHELF LEDGES, DOCUMENT HOLDER AND CASTERS.**

**30"W LAN STATION WITH OPTIONAL KEYBOARD DRAWER AND DOCUMENT HOLDER.**



Description	Model No.
30"W LAN Workstation	<b>WLS30</b>
60"W LAN Workstation	<b>WLS60</b>
72"W LAN Workstation	<b>WLS72</b>
Shelf Divider 8" high	<b>AD818C</b>
Slide-out Keyboard Shelf 23"W x 11"D	<b>AKD211</b>
Mouse Holder	<b>AMT</b>
Document Holder	<b>AH</b>
Polyurethane Casters (2 with Brakes)	<b>CA5SB</b>

LEDGES	Model No.
18"	<b>AL418C</b>
30"	<b>AL430C</b>
60"	<b>AL460C</b>
72"	<b>AL472C</b>

## Complete Mobile Computer Workcenter

In your facility, office or warehouse, this workcenter rolls wherever you need it and uses minimal space! Two adjustable upper shelves (31 $\frac{1}{2}$ "W x 12"D) easily accommodate computer accessories and supplies. Large 31 $\frac{1}{2}$ "W x 17 $\frac{1}{2}$ "D work surface made of  $\frac{1}{2}$ " thick stain and scratch resistant lacquered fiberboard. Adjustable height slide-out keyboard/mouse drawer (27"W x 13 $\frac{1}{2}$ "D) and 12"D lower storage shelf. 3" rubber casters (two locking) allow for easy mobility. Entire workcenter is adjustable in 1" increments. Chrome finish.



W" x D" x H"	Model No.
31 $\frac{1}{2}$ x 24 x 63	<b>CWC3124</b>

## Server Station

Perfect for storing all the servers that support your LAN environment. Complete with bottom server shelf and two 18"D shelves which are adjustable in 2" increments. All shelves are  $\frac{3}{4}$ " thick gray plastic laminate. 24"W x 30"D x 74"H. Add additional shelves for more storage and a 24"W caster base for mobility. Gray powder coat finish.



Description	Model No.
Server Station	<b>SS24307</b>
24"W Shelf (Set of 2)	<b>SSA24</b>
24"W Shelf Caster Base	<b>CB24</b>

**SHOWN WITH TWO ADDITIONAL SHELVES**



## LAN Wire Shelving

**Open Wire Shelving System** has a 1600 lb. capacity for storage of computer equipment, CPU's, monitors, keyboards, etc. No tools necessary, slide shelf over post and clip to lock in place. Shelves adjust in 1" increments. Adjustable floor levelers for irregular surfaces. **Shelving consists of four shelves**, four posts and shelf clips to secure shelf to post. **Printer Shelving** comes with three shelves. **Additional Shelves** also available. Add **4"H Ledges** to front, back or sides of shelves to prevent items from falling. **8"H high dividers** attach to any point along shelf. Add an **adjustable wire Keyboard Drawer** with wrist rest to any shelf. Supports keyboards up to 23"W x 11"D. Features a 6" height and  $\pm 9^\circ$  angle adjustment. All units are chrome finish except as noted. \*Add four polyurethane casters (2 with Brake) to make units Mobile.



SHOWN WITH OPTIONAL  
DOCUMENT HOLDER, SHELF  
LEDGES AND CASTERS


LAN SHELVEING		
	63" HIGH 4 Shelf	74" HIGH 4 Shelf
W" x L"	Model No.	Model No.
18 x 36	18366C	18367C
18 x 48	18486C	18487C
18 x 60	18606C	18607C
24 x 36	24366C	24367C
24 x 48	24486C	24487C
24 x 60	24606C	24607C

PRINTER SHELVEING	
L" x W" x H"	Model No.
18 x 24 x 39	PS18243C
18 x 24 x 59	PS18245C

## Accessories



LEDGES	
Size"	Model No.
18	AL418C
24	AL424C
36	AL436C
48	AL448C
60	AL460C



DIVIDERS	
Size"	Model No.
18	AD818C
24	AD824C



KEYBOARD DRAWER 21"W x 11"D	
Description	Model No.
Chrome	AKD211

SHELVES	
W" x L"	Model No.
18 x 24	S1824C
18 x 36	S1836C
18 x 48	S1848C
18 x 60	S1860C
24 x 36	S2436C
24 x 48	S2448C
24 x 60	S2460C

CASTERS	
Description	Model No.
5" Polyurethane Casters 2 with Brake (Set of 4)	CA5SB

POST	
Size"	Model No.
63	P63C
74	P74C

Additional shelves in add-on unit need 2 S-Hooks per shelf to be ordered separately.

Model No.	AS
-----------	----

## Computer/Instrument Cart



SHOWN WITH OPTIONAL  
DOCUMENT HOLDER  
AND LEDGES

Transport and store anything from bulky parts to sensitive equipment. Includes non-conductive clear polypropylene shelf liners. Shelves adjust on 1" increments. Shock absorbing 8" pneumatic wheels (two swivel, two rigid) allow easy mobility. Corner bumpers help protect walls. 44" overall height 1200 lb. capacity. Chrome finish.

### INSTRUMENT CART

Size"	2 Shelf Model No.	3 Shelf Model No.
24 x 36	IC24362C	IC24363C
24 x 48	IC24482C	IC24483C
24 x 60	IC24602C	IC24603C

### LEDGES - 4" HIGH

Size"	Model No.
24	AL424C
36	AL436C
48	AL448C
60	AL460C

### DOCUMENT HOLDER

Model	AH
-------	----

## Mail Cart/Service Cart

Constructed of 1" tubular chrome finished 18 gauge steel. Accommodates letter or legal size hanging file folders. Chrome finish.



### MAIL CART/SERVICE CART

Collect and deliver mail, packages, inventory and tools. **Removable baskets make sorting and loading simple.** File rails included to accommodate hanging files. Carts feature gray non-marring wheels, two 5" dia. polyurethane swivel casters and two 10" semi-pneumatic rear wheels. Cushioned push handle for comfort. **STANDARD CART** has a 25"L x 17<sup>1</sup>/<sub>4</sub>"W x 11"D upper basket and a 25"L x 17<sup>1</sup>/<sub>4</sub>"W x 7<sup>1</sup>/<sub>2</sub>"D lower basket. **DELUXE CART** has a 36"L x 17<sup>1</sup>/<sub>4</sub>"W x 11"D upper basket and a 36"L x 17<sup>1</sup>/<sub>4</sub>"W x 7<sup>1</sup>/<sub>2</sub>"D lower basket. 250 lb. capacity.

Description	L" x W" x H"	Model No.
Standard	33 x 24 x 38	SC33243
Deluxe	43 x 24 x 38	SC43243

## Computer Workstation



SHOWN WITH  
OPTIONAL  
DOCUMENT HOLDER  
AND CASTERS

Transport computer and electronic equipment with ease. Choose 34" high or 42" high standing workstation. Open wire design minimizes dust accumulation and maximizes light and air circulation. Three 24"W x 30"L shelves adjust on 1" increments. Sliding keyboard shelf with cushioned wrist rest accepts keyboards up to 21"W x 11"D. 6" height adjustment to ensure a comfortable typing position. Chrome finish. 1200 lb. capacity.

Description	Model No.
3 Tier Unit - 34" High	PS24303C
3 Tier Unit - 42" High	PS24304C
Extra Shelf (24"W x 30"L)	S2430C
Document Holder	AH

OPTIONAL CASTERS - Swivel, 2 with brake		
Description	Capacity	Model No.
2" Dual Wheel	360 lb.	CA2BN4
5" Polyurethane Wheel	1200 lb.	CA5SB



REMOVABLE  
LOWER BASKET

**MAIL CART** with two 4" swivel rubber front casters and two rigid semi pneumatic rear wheels, has a 36" x 16" x 11"H top basket and a removable 35" x 15<sup>3</sup>/<sub>4</sub>" x 7" lower basket. File rails included to accommodate hanging files. Chrome finish. 200 lb. capacity.

L" x W" x H"	Model No.
44 x 22 x 35	SC16362



## Swivel Chair

### Height Adjustable Seat and Foot Ring

Pneumatic height adjustable seat is 19<sup>1</sup>/<sub>2</sub>"W x 18<sup>1</sup>/<sub>2</sub>"D x 2<sup>1</sup>/<sub>2</sub>" thick. 360 degree foot rest adjusts independently. Contoured 16"W x 10"H x 1" thick back adjusts up to 4" vertically and 2<sup>1</sup>/<sub>2</sub>" in or out for personal support. Includes nylon floor glides.

#### SWIVEL CHAIR WITHOUT ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-21	SC17BK	---
21-25	SC22BK	SC22GY
25-30	SC27BK	SC27GY

#### SWIVEL CHAIR WITH HANDLEBAR ARMS

#### SWIVEL CHAIR WITH FIXED T-ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-21	SCF17BK	---
21-25	SCF22BK	SCF22GY
25-30	SCF27BK	SCF27GY

#### SWIVEL CHAIR WITH LOOP ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-21	SCL17BK	---
21-25	SCL22BK	SCL22GY
25-30	SCL27BK	SCL27GY

#### SWIVEL CHAIR WITH ADJUSTABLE T-ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-21	SCA17BK	---
21-25	SCA22BK	SCA22GY
25-30	SCA27BK	SCA27GY



ADJUSTABLE FOOTRING



#### Choose the Arms That Fit Your Needs!



T-Armrests fixed position, textured polyurethane over steel.



Loop-Armrests place user close to desk. Round edge polyurethane over steel construction for lifetime durability.



Adjustable T-Armrests position as needed. Self skinned polyurethane over steel.



Casters Optional 2" plastic hooded ball casters for mobility.

#### CASTERS (Set of 5)

Model CA2BP5

## Dynamic Design

### Pneumatic Production Stool

#### With "Comfort Plus" Footrest

Convenient production stool has a front mounted footrest that moves with the seat when turning or adjusting. Pneumatic height adjusts from 25" -29". Extra large, 19<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" x 2<sup>1</sup>/<sub>2</sub>" thick seat. 16"W x 10"H back adjusts 4" up or down and 2<sup>1</sup>/<sub>2</sub>" in or out. Available in Black vinyl, woven gray or blue nylon fabric upholstery. Sturdy 5 blade base. Nylon floor glides. Add optional casters for mobility. Increases chair height 2<sup>1</sup>/<sub>2</sub>".

Stool Type	Black Vinyl Model No.	Gray Fabric Model No.	Blue Fabric Model No.
Armless	PS17BK	PS17GY	PS17BL
T-Arms	PS17TBK	PS17TGY	PS17TBL
Loop Arms	PS17LBK	PS17LGY	PS17LBL
Adj. T-Arms	PS17ABK	PS17AGY	PS17ABL

Casters (pkg. of 5) CA2BP5





# SEATING/STOOLS

## Height Adjustable Steel Stools



Heavy duty 18 gauge x 7/8" tubular steel electrically seam-welded construction assures strength and rigidity. Convenient steel foot ring. Telescoping legs adjust on 1" increments. Choice of 14" steel/hardboard or gray vinyl upholstered seat. Adjustable 12"W x 5 3/4"H curved steel or vinyl upholstered backrest. Durable gray baked enamel finish. Sold 2 per package of a model.

**A. STEEL HARDBOARD ROUND SEAT WITH BACKREST**

Adj. Height"	Model No.
18-27	<b>HBRB18</b>
24-33	<b>HBRB24</b>

**B. STEEL HARDBOARD SEAT**

Adj. Height"	Model No.
18-27	<b>HB18</b>
24-33	<b>HB24</b>

**C. STEEL HARDBOARD SQUARE SEAT WITH BACKREST**

Adj. Height"	Model No.
18-27	<b>HBSB18</b>
24-33	<b>HBSB24</b>

**D. UPHOLSTERED SEAT AND BACKREST**

Adj. Height"	Model No.
18-27	<b>UPSB18</b>
24-33	<b>UPSB24</b>

**E. UPHOLSTERED SEAT**

Adj. Height"	Model No.
18-27	<b>UPS18</b>
24-33	<b>UPS24</b>

## Comfort Stools



**Extra Thick 5" Seat!**

Height Adjusts 19" to 25 1/2"

**Stool** is ideal for warehouse, factory or machine shop use. Height is manually adjustable from 19" to 25 1/2". Large 14" diameter 5" thick vinyl seat and adjustable back. Chrome base and foot ring. Four 2" nylon twin wheel casters for mobility.

## Ergonomic Work Stand



15° LOCK-IN TILT CONTROL

**Lets You Sit While Standing!**

Ergonomically designed work stand is great when working for long periods of time on machinery or assembly line. Waterfall contour seat allows proper leg circulation. Self skinned polyurethane padded seat for durability and comfort. Tilt control knob allows 14" W x 10"D seat to rock with you, or can be locked for stability. 21" to 31" pneumatic height adjustment for easy operator positioning. Five prong 24" molded base has rubber pads for stability.

Model No. **ERG010**

## Contoured Plastic Stool



PNEUMATIC HEIGHT ADJUSTMENT

Contoured design promotes good posture and features ventilation slot for comfort. Molded polypropylene seat with black tubular frame for strength and durability. Easy to clean 17"W x 16"D seat and 16"sq. back. Pneumatic 21"-31" seat height adjustment. Height adjustable 7 3/4"-17 3/4" 360° foot rest. Five blade caster base. Easy assembly. 1 Year Limited Warranty.

Description	Black Model No.	Gray Model No.	Blue Model No.
Stool	<b>CS14BK</b>	<b>CS14GY</b>	<b>CS14BL</b>
Stool with Back	<b>CS14BBK</b>	<b>CS14BGY</b>	<b>CS14BBL</b>

Description	Model No.
Plasti Stool	<b>PLAS17</b>
Optional Glides	<b>STGL</b>



## METRIC CONVERSION CHART

INCHES	MM	INCHES	MM
1	25	49	1245
2	51	50	1270
3	76	51	1295
4	102	52	1321
5	127	53	1346
6	152	54	1372
7	178	55	1397
8	203	56	1422
9	229	57	1448
10	254	58	1473
11	279	59	1499
12	305	60	1524
13	330	61	1549
14	356	62	1575
15	381	63	1600
16	406	64	1626
17	432	65	1651
18	457	66	1676
19	483	67	1702
20	508	68	1727
21	533	69	1753
22	559	70	1778
23	584	71	1803
24	610	72	1829
25	635	73	1854
26	660	74	1880
27	686	75	1905
28	711	76	1930
29	737	77	1956
30	762	78	1981
31	787	79	2007
32	813	80	2032
33	838	81	2057
34	864	82	2083
35	889	83	2108
36	914	84	2134
37	940	85	2159
38	965	86	2184
39	991	87	2210
40	1016	88	2235
41	1041	89	2261
42	1067	90	2286
43	1092	91	2311
44	1118	92	2337
45	1143	93	2362
46	1168	94	2388
47	1194	95	2413
48	1219	96	2438

Accessories, Wire Shelving.....	11, 28-30
Bin Storage Units .....	48
Bench Tops.....	52
Boxes and Bins.....	49
Cart Covers .....	30
Carts, Computer and Office.....	56
Cart, Utility.....	38-40
Casters .....	31
Dolly Base .....	31
Dunnage Frame.....	12
Enclosure Panels.....	19
Garment Storage .....	24
LAN Stations .....	53-55
Lockers.....	44-45
Merchandisers .....	15,16
Parts and Accessories .....	11, 28-30
Parts Carrier .....	50
Pick Racks and Trucks .....	21
Posts.....	5
Rack, Container.....	12
Racks, Dunnage .....	13
Seating .....	57,58
Security, Units and Trucks.....	46-47
Shelf, Liners.....	30
Shelving, Types .....	2-4
Shelving, Adjustable .....	10
Shelving, Cantilever.....	14,18
Shelving, Heavy Duty .....	12
Shelving, Plastic .....	10,11
Shelving, Rivet Lock.....	25
Shelving, Slant.....	15
Shelving, Solid .....	9
Shelving, Wall Mount.....	18,19
Shelving, Wide Span .....	26,27
Shelving, Wine.....	16
Shelving, Wire .....	5-8
Shelving, Wire Bin .....	20,21
Space-Trac, High Density Shelving.....	22,23
Trucks and Carts, Specialty.....	43
Trucks, Exchange and Linen .....	36,37
Trucks, Hand .....	41
Trucks, Platform .....	42
Trucks, Solid Steel Shelf .....	34
Trucks, Tray .....	35
Trucks, Wire Shelf .....	32,33
Wall Grid.....	17
Wire Containers.....	19
Work Benches and Centers .....	50-52

Most Nexel units shown in this catalog can be customized to suit individual requirements. Check with your Nexel sales representative for details.

Most Nexel food service products are listed by the National Sanitation Foundation.  
For specific items, please consult the latest NSF food service listing.



<http://nexel.superiorshelving.com>



**INDUSTRIAL**

**HEALTH CARE**

**COMMERCIAL**

**FOOD SERVICE**

Superior Shelving Systems  
2522 N. Proctor St.  
Tacoma, WA 98406

1-800-525-7160

<https://www.superiorshelving.com>

